

Package ‘latentnet’

November 22, 2009

Version 2.2-3

Date 2009-11-21

Title Latent position and cluster models for statistical networks

Author Pavel N. Krivitsky <pavel@stat.washington.edu>, Mark S. Handcock
<handcock@stat.washington.edu>, based on original code from “latentnetHRT”, and
code from other packages of ‘statnet’ project

Maintainer Pavel N. Krivitsky <pavel@stat.washington.edu>

Description A package to fit and simulate latent position and cluster models for statistical networks.

Depends network, shapes, abind, tools

Suggests coda, mclust, KernSmooth, snowFT, ergm, rgl

License file LICENSE

URL <http://statnetproject.org>

Repository CRAN

Date/Publication 2009-11-22 16:20:51

R topics documented:

as.mcmc.list.ergmm	2
davis	3
ergmm	5
ergmm.control	7
ergmm.object	9
ergmm.par.list.object	10
ergmm.prior	11
families.ergmm	12
gof	12
latentnet	14
mcmc.diagnostics.ergmm	15

merge.ergmm	16
plot.ergmm	17
predict.ergmm	20
sampson	21
simulate	22
summary.ergmm	24
terms.ergmm	25
tribes	28

Index	29
--------------	-----------

as.mcmc.list.ergmm *Convert an ERGMM Object to an MCMC list object for Diagnostics.*

Description

A function to extract a subset of MCMC-sampled variables from an object of class `ergmm` and construct an `mcmc.list` object.

Usage

```
## S3 method for class 'ergmm':
as.mcmc(x, burnin = FALSE, which.vars = NULL, vertex.i = c(1))
## S3 method for class 'ergmm':
as.mcmc.list(x, burnin = FALSE, which.vars = NULL, vertex.i = c(1))
```

Arguments

<code>x</code>	An object of class <code>ergmm</code> .
<code>burnin</code>	If TRUE, generates an <code>mcmc.list</code> object for the burnin (if stored) instead of the main sampling run.
<code>which.vars</code>	A named list mapping variable names to the indices to include. If given, overrides the defaults and all arguments that follow.
<code>vertex.i</code>	A numeric vector of vertices whose latent space coordinates and random effects to include.

Details

Unless `which.vars` is specified, the `mcmc.list` returned also includes all of the covariate coefficients.

Regardless of whether the MCMC run was single- or multi-threaded, this function returns an `mcmc.list`, with a single thread, if necessary.

Value

A `mcmc.list` object with the sample of the selected subset of the variables.

See Also

[ergmm](#), [mcmc](#), [mcmc.list](#), [mcmc.diagnostics.ergmm](#)

Examples

```
library(coda)
data(sampson)
monks.fit<-ergmm(samplike~latent(d=2,G=3))
monks.fit.mcmc<-as.mcmc(monks.fit)
plot(monks.fit.mcmc)
raftery.diag(monks.fit.mcmc)
```

davis

Southern Women Data Set (Davis) as a bipartite "network" object

Description

This is a data set of 18 women observed over a nine-month period. During that period, various subsets of these women had met in a series of 14 informal social events. The data record which women met for which events. The data is originally from Davis, Gardner and Gardner (1941) via UCINET and stored as a `network` object.

This documentation is taken from Freeman (2003) in his usual lucid description. See the reference to the paper below:

In the 1930s, five ethnographers, Allison Davis, Elizabeth Stubbs Davis, Burleigh B. Gardner, Mary R. Gardner and J. G. St. Clair Drake, collected data on stratification in Natchez, Mississippi (Warner, 1988, p. 93). They produced the book cited below [DGG] that reported a comparative study of social class in black and in white society. One element of this work involved examining the correspondence between people's social class levels and their patterns of informal interaction. DGG was concerned with the issue of how much the informal contacts made by individuals were established solely (or primarily) with others at approximately their own class levels. To address this question the authors collected data on social events and examined people's patterns of informal contacts.

In particular, they collected systematic data on the social activities of 18 women whom they observed over a nine-month period. During that period, various subsets of these women had met in a series of 14 informal social events. The participation of women in events was uncovered using "interviews, the records of participant observers, guest lists, and the newspapers" (DGG, p. 149). Homans (1950, p. 82), who presumably had been in touch with the research team, reported that the data reflect joint activities like, "a day's work behind the counter of a store, a meeting of a women's club, a church supper, a card party, a supper party, a meeting of the Parent-Teacher Association, etc."

This data set has several interesting properties. It is small and manageable. It embodies a relatively simple structural pattern, one in which, according to DGG, the women seemed to organize themselves into two more or less distinct groups. Moreover, they reported that the positions - core and peripheral - of the members of these groups could also be determined in terms of the ways in which different women had been involved in group activities. At the same time, the DGG data set is complicated enough that some of the details of its patterning are less than obvious. As Homans

(1950, p. 84) put it, “The pattern is frayed at the edges.” And, finally, this data set comes to us in a two-mode “woman by event” form. Thus, it provides an opportunity to explore methods designed for direct application to two-mode data. But at the same time, it can easily be transformed into two one-mode matrices (woman by woman or event by event) that can be examined using tools for one-mode analysis.

Because of these properties, this DGG data set has become something of a touchstone for comparing analytic methods in social network analysis. Davis, Gardner and Gardner presented an intuitive interpretation of the data, based in part on their ethnographic experience in the community. Then the DGG data set was picked up by Homans (1950) who provided an alternative intuitive interpretation. In 1972, Phillips and Conviser used an analytic tool, based on information theory, that provided a systematic way to reexamine the DGG data. Since then, this data set has been analyzed again and again. It reappears whenever any network analyst wants to explore the utility of some new tool for analyzing data.

Usage

```
data(davis)
```

Details

If the source of the data set does not specified otherwise, this data set is protected by the Creative Commons License <http://creativecommons.org/licenses/by-nc-nd/2.5/>.

When publishing results obtained using this data set the original authors should be cited. In addition this package should be cited as:

Mark S. Handcock, David Hunter, Carter T. Butts, Steven M. Goodreau, and Martina Morris. 2003 *statnet: An R package for the Statistical Modeling of Social Networks* <http://www.csde.washington.edu/statnet>.

Source

Linton C. Freeman (2003). *Finding Social Groups: A Meta-Analysis of the Southern Women Data*, In Ronald Breiger, Kathleen Carley and Philippa Pattison, eds. *Dynamic Social Network Modeling and Analysis*. Washington: The National Academies Press.

References

Davis, A., Gardner, B. B. and M. R. Gardner (1941) *Deep South*, Chicago: The University of Chicago Press.

Linton C. Freeman (2003). *Finding Social Groups: A Meta-Analysis of the Southern Women Data*, In Ronald Breiger, Kathleen Carley and Philippa Pattison, eds. *Dynamic Social Network Modeling and Analysis*. Washington: The National Academies Press.

See Also

statnet, network, ergm, ergm

Description

`ergmm` is used to fit latent space and latent space cluster random network models, as described by Hoff, Raftery and Handcock (2002), Handcock, Raftery and Tantrum (2005), and Krivitsky, Handcock, Raftery, and Hoff (2009). `ergmm` can return either a Bayesian model fit or the two-stage MLE.

Usage

```
ergmm(formula, response=NULL, family="Bernoulli", fam.par=NULL,
      control=ergmm.control(), user.start=list(), prior=ergmm.prior(),
      tofit=c("mcmc", "mkl", "mkl.mbc", "procrustes",
            "klswitch"), Z.ref=NULL, Z.K.ref=NULL, seed=NULL,
      verbose=FALSE)
```

Arguments

<code>formula</code>	An R formula object, of the form $g \sim \langle \text{term } 1 \rangle + \langle \text{term } 2 \rangle \dots$, where g is a network object or a matrix that can be coerced to a network object, and $\langle \text{term } 1 \rangle, \langle \text{term } 2 \rangle, \dots$, are each terms for the model. See terms.ergmm for the terms that can be fitted. To create a network object in R, use the <code>network</code> function, then add nodal attributes to it using <code>set.vertex.attribute</code> if necessary.
<code>response</code>	An optional edge attribute that serves as the response variable. By default, presence (1) or absence (0) of an edge in g is used.
<code>family</code>	A character vector that is one of "Bernoulli" (the default), "binomial", or "Poisson", specifying the conditional distribution of each edge value.
<code>fam.par</code>	For those families that require additional parameters, a list.
<code>control</code>	The MCMC parameters that do not affect the posterior distribution such as the sample size, the proposal variances, and tuning parameters, in the form of a named list. See ergmm.control for more information and defaults.
<code>user.start</code>	An optional initial configuration parameters for MCMC in the form of a list. By default, posterior mode conditioned on cluster assignments is used. It is permitted to only supply some of the parameters of a configuration. If this is done, the remaining parameters are fitted conditional on those supplied.
<code>prior</code>	The prior parameters for the model being fitted in the form of a named list. See terms.ergmm for the names to use. If given, will override those given in the formula terms, making it useful as a convenient way to store and reproduce a prior distribution. The list or prior parameters can also be extracted from an ERGMM fit object. See ergmm.prior for more information.

<code>tofit</code>	A character vector listing some subset of "pmode", "mcmc", "mkl", "mkl.mbc", "mle", "procrustes", and "klsitch", defaulting to all of the above, instructing <code>ergmm</code> what should be returned as a part of the ERGMM fit object . Omitting can be used to skip particular steps in the fitting process. If the requested procedure or output depends on some other procedure or output not explicitly listed, the dependency will be resolved automatically.
<code>Z.ref</code>	If given, used as a reference for Procrustes analysis.
<code>Z.K.ref</code>	If given, used as a reference for label-switching.
<code>seed</code>	If supplied, random number seed.
<code>verbose</code>	If this is TRUE (or 1), causes information to be printed out about the progress of the fitting, particularly initial value generation. Higher values lead to greater verbosity.

Value

`ergmm` returns an object of class `ergmm` containing the information about the posterior.

References

Mark S. Handcock, Adrian E. Raftery and Jeremy Tantrum (2002). *Model-Based Clustering for Social Networks*. Journal of the Royal Statistical Society: Series A, 170(2), 301-354.

Peter D. Hoff, Adrian E. Raftery and Mark S. Handcock (2002). *Latent space approaches to social network analysis*. Journal of the American Statistical Association, 97(460), 1090-1098.

Pavel N. Krivitsky, Mark S. Handcock, Adrian E. Raftery, and Peter D. Hoff (2009). *Representing degree distributions, clustering, and homophily in social networks with latent cluster random effects models*. Social Networks, 31(3), 204-213.

Pavel N. Krivitsky and Mark S. Handcock (2008). *Fitting Position Latent Cluster Models for Social Networks with latentnet*. Journal of Statistical Software, 24(5).

See Also

`network`, `set.vertex.attributes`, `set.network.attributes`, `summary.ergmm`, `terms.ergmm`

Examples

```
#
# Use 'data(package = "latentnet")' to list the data sets in a
#
data(package="latentnet")
#
# Using Sampson's Monk data, lets fit a
# simple latent position model
#
data(sampson)
samp.fit <- ergmm(samplike ~ latent(d=2))
#
# See if we have convergence in the MCMC
```

```
mcmc.diagnostics(samp.fit)
#
# Plot the fit
#
plot(samp.fit)
#
# Using Sampson's Monk data, lets fit a latent clustering random effects model
#
samp.fit <- ergmm(samplike ~ latent(d=2, G=3)+rreceiver)
#
# See if we have convergence in the MCMC
mcmc.diagnostics(samp.fit)
#
# Plot the fit.
#
plot(samp.fit)
```

ergmm.control

Auxiliary for Controlling ERGMM Fitting

Description

Auxiliary function as user interface for `ergmm` fitting. Typically only used when calling `ergmm`. It is used to set parameters that affect the sampling but do not affect the posterior distribution.

Usage

```
control.ergmm(sample.size=4000,
              burnin=10000,
              interval=10,
              threads=1,
              kl.threads=1,
              mle.maxit=100,
              Z.delta=0.6,
              RE.delta=0.6,
              group.deltas=0.4,
              pilot.runs=4,
              pilot.factor=0.8,
              pilot.discard.first=0.5,
              target.acc.rate=0.234,
              backoff.threshold=0.05,
              backoff.factor=0.2,
              accept.all=FALSE,
              store.burnin=FALSE,
              refine.user.start=TRUE)
```

Arguments

<code>sample.size</code>	The number of draws to be taken from the posterior distribution.
<code>burnin</code>	The number of initial MCMC iterations to be discarded.
<code>interval</code>	The number of iterations between consecutive draws.
<code>threads</code>	The number of chains to run. If greater than 1, package <code>snowFT</code> is used to take advantage of any multiprocessing or distributed computing capabilities that may be available. Currently, only PVM (via <code>rpvm</code>) has been tested. Note, also, that PVM daemon needs to be started before the package is loaded.
<code>kl.threads</code>	If greater than 1, uses an experimental parallelized label-switching algorithm. This is not guaranteed to work.
<code>mle.maxit</code>	Maximum number of iterations for computing the starting values, posterior modes, MLEs, MKL estimates, etc..
<code>Z.delta</code>	Standard deviation of the proposal for the jump in the individual latent space position, or its starting value for the tuner.
<code>RE.delta</code>	Standard deviation of the proposal for the jump in the individual random effects values, or its starting value for the tuner.
<code>group.deltas</code>	A scalar, a vector, or a matrix of an appropriate size, giving the initial proposal structure for the “group proposal” of a jump in covariate coefficients, scaling of latent space positions, and a shift in random effects. If a matrix of an appropriate size is given, it is used as a matrix of coefficients for a correlated proposal. If a vector is given, an independent proposal is used with the corresponding elements being proposal standard deviations. If a scalar is given, it is used as a multiplier for an initial heuristic for the proposal structure. It is usually best to leave this argument alone and let the adaptive sampling be used.
<code>pilot.runs</code>	Number of pilot runs into which to split the burn-in period. After each pilot run, the proposal standard deviations and coefficients <code>Z.delta</code> , <code>RE.delta</code> , and <code>group.deltas</code> are reevaluated. If set to 0, disables adaptive sampling, and only makes a single burn-in run.
<code>pilot.factor</code>	Initial value for the factor by which the coefficients gotten by a Cholesky decomposition of the pilot sample covariance matrix are multiplied.
<code>pilot.discard.first</code>	Proportion of draws from the pilot run to discard for estimating acceptance rate and group proposal covariance.
<code>target.acc.rate</code>	Target acceptance rate for the proposals used. After a pilot run, the proposal variances are adjusted upward if the acceptance rate is above this, and downward if below.
<code>backoff.threshold</code>	If a pilot run’s acceptance rate is below this, redo it with drastically reduced proposal standard deviation. Set to 0 to disable this behavior.
<code>backoff.factor</code>	Factor by which to multiply the relevant proposal standard deviation if its acceptance rate fell below the backoff threshold.
<code>accept.all</code>	Forces all proposals to be accepted unconditionally. Use only in debugging proposal distributions!

`store.burnin` If TRUE, the samples from the burnin are also stored and returned, to be used in MCMC diagnostics.

`refine.user.start`

If TRUE, the values passed to `ergmm` in the `user.start` argument can be updated by the mode-finding algorithm.

Value

A list with the arguments as components.

See Also

[ergmm](#)

Examples

```
data(sampson)
## Shorter run than default.
samp.fit<-ergmm(samplike~latent(d=2,G=3)+rreceiver,
control=ergmm.control(burnin=1000,sample.size= 2000,interval=5))
```

ergmm.object

Class of Fitted Exponential Random Graph Mixed Models

Description

A class `ergmm` to represent a fitted exponential random graph mixed model. The output of `ergmm`.

Details

There are methods `summary.ergmm`, `print.ergmm`, `plot.ergmm`, `predict.ergmm`, `as.mcmc.ergmm`, and `as.mcmc.list.ergmm`.

The structure of `ergmm` is as follows:

`sample` An object of class `ergmm.par.list` containing the MCMC sample from the posterior. If the run had multiple threads, their output is concatenated.

`mcmc.mle` A list containing the parameter configuration of the highest-likelihood MCMC iteration.

`mcmc.pmode` A list containing the parameter configuration of the highest-joint-density (conditional on cluster assignments) MCMC iteration.

`mk1` A list containing the MKL estimate.

`model` A list containing the model that was fitted.

`prior` A list containing the information about the prior distribution used. It can be passed as parameter `prior` to `ergmm` to reproduce the prior in a new fit.

`control` A list containing the information about the model fit settings that do not affect the posterior distribution. It can be passed as parameter `control` to `ergmm` to reproduce control parameters in a new fit.

`mle` A list containing the MLE, conditioned on cluster assignments.
`pmode` A list containing the posterior mode, conditioned on cluster assignments.
`burnin.start` A list containing the starting value for the burnin.
`main.start` A list (or a list of lists, for a multithreaded run) containing the starting value for the sampling.

See Also

[ergmm](#), [summary.ergmm](#), [plot.ergmm](#), [predict.ergmm](#), [as.mcmc.ergmm](#), [as.mcmc.list.ergmm](#)

`ergmm.par.list.object`

A List of ERGMM Parameter Configuration

Description

A class `ergmm.par.list` to represent a series of parameter configurations for the same exponential random graph mixed model.

Details

[`[]` operator with a numeric or integer index returns a list with the the configuration with that index. [`[]` operator given a numeric vector returns a `ergmm.par.list` object with the subset of configurations with the indices given.

The structure of `ergmm.par.list` is derived from named lists, with each entry having an additional dimension (always the first one), indexed by configuration. That is, scalars become vectors, vectors become matrixes with the original vectors in rows, and matrixes become 3-dimensional arrays, with the original matrixes indexed by their first dimension. See [terms.ergmm](#) for comon elements of these configurations.

In some cases, such as when representing MCMC or optimization output, the object may also have some of the following elements:

`m1p` $\log p(Y, Z, \beta, \mu, \sigma, \delta, \gamma, \sigma_\delta, \sigma_\gamma, |K)$, the joint probability/density of network, the covariate coefficients, the latent space positions and parameters, and the random effects and their variances, conditional on cluster assignments.

`1pY` $\log p(Y | \dots)$, depending on the model, the log-probability or log-density of the network conditional on all the parameters.

`1pZ` $\log p(Z | \mu, \sigma, K)$, the log-density of latent space positions conditional on latent space or cluster parameters and cluster assignments.

`1pbeta` $\log p(\beta)$, the prior log-density of the covariate coefficients.

`1pRE` $\log p(\delta, \gamma | \sigma_\delta, \sigma_\gamma)$, the log-density of all random effects, conditional on their respective variances.

`1pLV` $\log p(\mu, \sigma)$, the prior log-density of latent space or cluster parameters (but not that of the cluster assignments).

`lpREV` $\log p(\sigma_\delta, \sigma_\gamma)$, the prior log-density of all random effect variances.
`Z.rate` Proportion of single-vertex proposals accepted over the preceding interval.
`beta.rate` Proportion of group proposals accepted over the preceding interval.

See Also

[ergmm](#)

`ergmm.prior`

Auxiliary for Setting the ERGMM Prior

Description

Auxiliary function as user interface for [ergmm](#) prior specification. Typically only used when calling [ergmm](#). It is used to supply the parameters of the prior distribution of the model, to overwrite those specified in the model formula, and to supply miscellaneous prior parameters.

Usage

```
ergmm.prior(..., adjust.beta.var = TRUE)
```

Arguments

`...` Prior distribution parameters. See [terms.ergmm](#) for more information.
`adjust.beta.var` A shortcut: whether the prior variance for each covariate coefficient should be divided by the mean square of that covariate. This adjustment affects those variances specified in the formula or by default, but not those specified through the `prior=` argument.

Value

A list with the arguments as elements.

See Also

[ergmm](#), [terms.ergmm](#)

families.ergmm *Edge Weight Distribution Families*

Description

Family-link combinations supported by [ergmm](#).

Details

Each supported family has a family of R functions, of the form `pY.-`, `lpY.-`, `EY.-`, `dlpY.deta.-`, `lpYc.-`, `rsm.-`, followed by the family's R name, for the respective family's R name, representing the family's likelihood, log-likelihood, expectation, derivative of log-likelihood, log-normalizing-constant, and random sociomatrix generation functions.

On the C side, similar functions exist, but because of static typing, are also provided for “continuous” versions of those families.

Family-link combinations

ID	C name	R name	Type	Family	Link
1	Bernoulli_logit	Bernoulli.logit	Discrete	Bernoulli	logit
2	binomial_logit	binomial.logit	Discrete	binomial	logit
3	Poisson_log	Poisson.log	Discrete	Possion	log
4	Bernoulli_cont_logit	NA	Continuous	Bernoulli	logit
5	binomial_cont_logit	NA	Continuous	binomial	logit
6	Poisson_cont_log	NA	Continuous	Possion	log

gof *Conduct Goodness-of-Fit Diagnostics on a Exponential Family Random Graph Mixed Model Fit*

Description

`gof` calculates p -values for geodesic distance, degree, and reachability summaries to diagnose the goodness-of-fit of exponential family random graph mixed models. See [ergmm](#) for more information on these models.

Usage

```
## S3 method for class 'ergmm':
gof(object, ...,
     nsim=100,
     GOF=~idegree+odegree+distance,
     verbose=FALSE)
```

Arguments

object	an <code>ergmm</code> object (returned by <code>ergmm</code>).
nsim	The number of simulations to use for the MCMC p -values. This is the size of the sample of graphs to be randomly drawn from the distribution specified by the object on the set of all graphs.
GOF	formula; an R formula object, of the form <code>~ <model terms></code> specifying the statistics to use to diagnosis the goodness-of-fit of the model. They do not need to be in the model formula specified in <code>formula</code> , and typically are not. Examples are the degree distribution ("degree"), minimum geodesic distances ("dist"), and shared partner distributions ("espartners" and "dspartners"). For the details on the possible <code><model terms></code> , see <code>ergm-terms</code> .
verbose	Provide verbose information on the progress of the simulation.
...	Additional arguments, to be passed to lower-level functions in the future.

Details

A sample of graphs is randomly drawn from the posterior of the `ergmm`.

A plot of the summary measures is plotted. More information can be found by looking at the documentation of `ergm`.

Value

`gof` and `gof.ergmm` return an object of class `gofobject`. This is a list of the tables of statistics and p -values. This is typically plotted using `plot.gofobject`.

See Also

`ergmm`, `ergmm (object)`, `ergm`, `network`, `simulate.ergmm`, `plot.gofobject`

Examples

```
#
data(sampson)
#
# test the gof.ergm function
#
samplike.fit <- ergmm(samplike ~ latent(d=2,G=3),
                    control=ergmm.control(burnin=1000,interval=5))
samplike.fit
summary(samplike.fit)

#
# Plot the probabilities first
#
monks.gof <- gof(samplike.fit)
monks.gof
#
# Place all three on the same page
# with nice margins
```

```
#
par(mfrow=c(1,3))
par(oma=c(0.5,2,1,0.5))
#
plot(monks.gof)
#
# And now the odds
#
plot(monks.gof, plotlogodds=TRUE)
```

latentnet

Latent position and cluster models for networks

Description

The package `latentnet` is used to fit latent cluster random effect models, where the probability of a network g , on a set of nodes is a product of dyad probabilities, each of which is a GLM with linear component $\eta_{i,j} = \sum_{k=1}^p \beta_k X_{i,j,k} + \|Z_i - Z_j\| + \delta_i + \gamma_j$, where X is an array of dyad covariates, β is a vector of covariate coefficients, Z_i is the latent space position of node i , and δ and γ are vectors of sender and receiver effects.

The `ergmm` specifies models via: $g \sim \langle \text{model terms} \rangle$ where g is a network object. For the list of possible `<model terms>`, see [terms.ergmm](#).

Details

The arguments in the `ergmm` function specific to latent variable models are `ergmm.control`. See the help page for `ergmm` for the details.

The result of a latent variable model fit is an `ergmm` object. Hence the `summary`, `print`, and `plot` functions apply to the fits. The `plot.ergmm` function has many options specific to latent variable models.

See the help page for `plot.ergmm` for the details.

Value

`ergmm` returns an object of class 'ergmm' that is a list.

References

Mark S. Handcock, Adrian E. Raftery and Jeremy Tantrum (2007). *Model-Based Clustering for Social Networks*. Journal of the Royal Statistical Society: Series A (Statistics in Society), 170(2), 301-354.

Peter D. Hoff, Adrian E. Raftery and Mark S. Handcock (2002). *Latent space approaches to social network analysis*. Journal of the American Statistical Association, 97(460), 1090-1098.

Pavel N. Krivitsky, Mark S. Handcock, Adrian E. Raftery, and Peter D. Hoff (2009). *Representing degree distributions, clustering, and homophily in social networks with latent cluster random effects models*. Social Networks, 31(3), 204-213.

Pavel N. Krivitsky and Mark S. Handcock (2008). *Fitting Position Latent Cluster Models for Social Networks with latentnet*. Journal of Statistical Software, 24(5).

Susan M. Shortreed, Mark S. Handcock, and Peter D. Hoff (2006). *Positional Estimation within the Latent Space Model for Networks*. Methodology, 2(1), 24-33.

See Also

[ergmm](#), [terms.ergmm](#)

```
mcmc.diagnostics.ergmm
```

Conduct MCMC diagnostics on an ERGMM fit

Description

This function creates simple diagnostic plots for the MCMC sampled statistics produced from a fit. It also prints the Raftery-Lewis diagnostics, indicates if they are sufficient, and suggests the run length required.

Usage

```
## S3 method for class 'ergmm':
mcmc.diagnostics(x, which.diags=c("cor", "acf", "trace", "raftery"),
                 burnin=FALSE,
                 which.vars=NULL,
                 vertex.i=c(1), ...)
```

Arguments

<code>x</code>	An object of class ergmm .
<code>which.diags</code>	A list of diagnostics to produce. "cor" is the correlation matrix of the statistics, "acf" plots the autocorrelation functions, "trace" produces trace plots and density estimates, and "raftery" produces the Raftery-Lewis statistics.
<code>burnin</code>	If not FALSE, rather than perform diagnostics on the sampling run, performs them on the pilot run whose index is given.
<code>which.vars</code>	A named list mapping variable names to the indices to include. If given, overrides the defaults and all arguments that follow.
<code>vertex.i</code>	A numeric vector of vertices whose latent space coordinates and random effects to include.
<code>...</code>	Additional arguments. None are supported at the moment.

Details

Produces the plots per `which.diags`. Autocorrelation function that is printed if "acf" is requested is for lags 0 and interval.

Value

`mcmc.diagnostics.ergmm` returns a table of Raftery-Lewis diagnostics.

See Also

[ergmm](#), [ergmm.object](#), [raftery.diag](#), [autocorr](#), [plot.mcmc.list](#)

Examples

```
#
data(sampson)
#
# test the mcmc.diagnostics function
#
gest <- ergmm(samplike ~ latent(d=2),
              control=ergmm.control(burnin=1000, interval=5))
summary(gest)
#
# Plot the traces and densities
#
mcmc.diagnostics(gest)
```

`merge.ergmm`

Merge two or more replications of ERGMM fits

Description

`merge.ergmm` produces a [ergmm](#) object containing the combined MCMC output (and derived estimates) of several [ergmm](#) objects produced with the same input parameters but different starting values, random seeds, etc..

Usage

```
## S3 method for class 'ergmm':
merge(x, y, ..., verbose = FALSE)
```

Arguments

<code>x</code>	The first ergmm object to be merged.
<code>y</code>	The second ergmm object to be merged.
<code>...</code>	Additional ergmm objects to be merged.
<code>verbose</code>	If TRUE, marks the progress of merging.

Value

An object of class [ergmm](#).

See Also

[ergmm.object](#), [ergmm](#)

Examples

```
data(sampson)
# Run two short MCMC-based fits.
samp.fit1 <- ergmm(samplike ~ latent(d=2, G=3),
  control=ergmm.control(burnin=1000,interval=10,sample.size=2000))
samp.fit2 <- ergmm(samplike ~ latent(d=2, G=3),
  control=ergmm.control(burnin=1000,interval=10,sample.size=2000))

# Combine them, and summarize the result.
samp.fit <- merge.ergmm(samp.fit1,samp.fit2)
summary(samp.fit)
```

plot.ergmm

Plotting Method for class ERGMM

Description

`plot.ergmm` is the plotting method for `ergmm` objects. For latent models, this plots the minimum Kullback-Leibler positions by default. The maximum likelihood, posterior mean, posterior mode, or a particular iteration's or configuration's positions can be used instead, or pie charts of the posterior probabilities of cluster membership can be shown. See [ergmm](#) for more information on how to fit these models.

At this time, no plotting non-latent-space model fits is not supported.

Usage

```
## S3 method for class 'ergmm':
plot(x, ..., vertex.cex=1,
  vertex.sides=16*ceiling(sqrt(vertex.cex)),
  what="mkl",
  main = NULL, xlab=NULL, ylab=NULL, zlab=NULL,
  xlim=NULL, ylim=NULL, zlim=NULL,
  object.scale=formals(plot.network.default)[["object.scale"]],
  pad=formals(plot.network.default)[["pad"]],
  cluster.col=c("red", "green", "blue", "cyan", "magenta",
    "orange", "yellow", "purple"),
  vertex.col = NULL, print.formula = TRUE,
  edge.col = 8,
  Z.ref = NULL, Z.K.ref = NULL,
  zoom.on = NULL, pie = FALSE, labels=FALSE,
  rand.eff = NULL, rand.eff.cap = NULL,
  plot.means = TRUE, plot.vars = TRUE,
  suppress.axes = FALSE, jitter1D=1, curve1D=TRUE,
```

```
use.rgl = FALSE, vertex.3d.cex = 1/20,
suppress.center=FALSE,density.par=list()
```

Arguments

<code>x</code>	an R object of class <code>ergmm</code> . See documentation for <code>ergmm</code> .
<code>what</code>	Character vector, integer, or a list that specifies the point estimates to be used. Can be one of the following: <ul style="list-style-type: none"> "mkl" This is the default. Plots the Minimum Kulblack-Leibler divergence values. "start","burnin.start" Plots the starting configuration. "sampling.start" Plots the starting configuration of the sampling phase (the last burnin configuration). "mle" Plots the maximum likelihood estimates. Random effects are treated as fixed. "pmean" Plots the posterior means. "pmode" Plots the conditional posterior mode. "cloud" Plots the "cloud" of latent space position draws, with their cluster colors. "density" Plots density and contours of the posterior latent positions, and, in cluster models, each cluster.
<code>list</code>	Plots the configuration contained in the list.
<code>integer</code>	Plots the configuration of <code>what</code> th MCMC draw stored in <code>x</code> .
<code>pie</code>	For latent clustering models, each node is drawn as a pie chart representing the probabilities of cluster membership.
<code>rand.eff</code>	A character vector selecting "sender", "receiver", "sociality", or "total" random effects. Each vertex is scaled such that its area is proportional to the odds ratio due to its selected random effect.
<code>rand.eff.cap</code>	If not NULL and <code>rand.eff</code> is given, limits the scaling of the plotting symbol due to random effect to the given value.
<code>plot.means</code>	Whether cluster means are plotted for latent cluster models. The "+" character is used. Defaults to TRUE.
<code>plot.vars</code>	Whether circles with radius equal to the square root of posterior latent or intra-cluster variance estimates are plotted. Defaults to TRUE.
<code>suppress.axes</code>	Whether axes should <i>not</i> be drawn. Defaults to FALSE. (Axes are drawn.)
<code>jitter1D</code>	For 1D latent space fits, it often helps to jitter the positions for visualization. This option controls the amount of jitter.
<code>curve1D</code>	Controls whether the edges in 1D latent space fits are plotted as curves. Defaults to TRUE.
<code>suppress.center</code>	Suppresses the plotting of "+" at the origin. Defaults to FALSE.
<code>cluster.col</code>	A vector of colors used to distinguish clusters in a latent cluster model.

<code>main</code> , <code>vertex.cex</code> , <code>vertex.col</code> , <code>xlim</code> , <code>ylim</code> , <code>vertex.sides</code> , <code>object.scale</code> , <code>pad</code> , <code>edge.col</code>	Arguments passed to <code>plot.network</code> , whose defaults differ from those of <code>plot.network</code> .
<code>zlim</code> , <code>zlab</code>	Limits and labels for the third latent space dimension or principal component, if <code>use.rgl=TRUE</code> .
<code>labels</code>	Whether vertex labels should be displayed. Defaults to <code>FALSE</code> .
<code>print.formula</code>	Whether the formula based on which the x was fitted should be printed under the main title. Defaults to <code>TRUE</code> .
<code>Z.ref</code>	If given, rotates the the latent positions to the nearest configuration to this one before plotting.
<code>Z.K.ref</code>	If given, relabels the clusters to the nearest configuration to this one before plotting.
<code>use.rgl</code>	Whether the package <code>rgl</code> should be used to plot fits for latent space dimension 3 or higher in 3D. Defaults to <code>FALSE</code> . If set to <code>TRUE</code> and a 3-dimensional plot is produced, edges are not plotted and argument <code>pie</code> has no effect.
<code>vertex.3d.cex</code>	Controls the size of the plotting symbol when <code>use.rgl=TRUE</code> .
<code>zoom.on</code>	If given a list of vertex indices, sets the plotting region to the smallest that can fit those vertices.
<code>density.par</code>	A list of optional parameters for density plots: <ul style="list-style-type: none"> <code>totaldens</code> Whether the overall density of latent space positions should be plotted. Defaults to <code>TRUE</code>. <code>subdens</code> Whether the densities of latent space positions broken down by cluster should be plotted. Defaults to <code>TRUE</code>. <code>mflow</code> When plotting multiple clusters' densities, passed to <code>par</code>
<code>...</code>	Other optional arguments passed to the <code>plot.network</code> function.

Details

Plots the results of an `ergmm` fit.

More information can be found by looking at the documentation of `ergmm`.

For bipartite networks, the events are marked with a bullet (small black circle) inside the plotting symbol.

Value

If applicable, invisibly returns the vertex positions plotted.

See Also

`ergmm`, `ergmm.object`, `network`, `plot.network`, `plot`

Examples

```

#
# Using Sampson's Monk data, let's fit a
# simple latent position model
#
data(sampson)
#
# Using Sampson's Monk data, let's fit a
# latent clustering random effects model
#
samp.fit <- ergmm(samplike ~ latent(d=2, G=3)+rreceiver)
#
# See if we have convergence in the MCMC
mcmc.diagnostics(samp.fit)
#
# Plot the resulting fit.
#
plot(samp.fit, labels=TRUE, rand.eff="receiver")
plot(samp.fit, pie=TRUE, rand.eff="receiver")
plot(samp.fit, what="pmean", rand.eff="receiver")
plot(samp.fit, what="cloud", rand.eff="receiver")
plot(samp.fit, what="density", rand.eff="receiver")

## Not run:
# Fit a 3D latent space model to Sampson's Monks
samp.fit3 <- ergmm(samplike ~ latent(d=3))

# Plot the first two principal components of the
# latent space positions
plot(samp.fit, use.rgl=FALSE)
# Plot the resulting fit in 3D
plot(samp.fit, use.rgl=TRUE)

## End(Not run)

```

predict.ergmm

Predicted Dyad Values for an ERGMM.

Description

Returns a matrix of expected dyad values based on an ERGMM fit.

Usage

```

## S3 method for class 'ergmm':
predict(object, ..., type = "post")

```

Arguments

object	An object of class <code>ergmm</code> .
type	One of "mkl", "start", "mle", "pmean", "mkl", "pmode", "post", an index of the iteration to use, or a list, for the configuration of parameters based on which the prediction is made. An exception is "post", which computes the expected dyad values integrated over the posterior.
...	Additional arguments. Currently unused.

Value

A sociomatrix of predicted values. Note that predictions are made for unobserved values (whether structural zeros or unobserved dyads).

See Also

[ergmm](#)

Examples

```
data(sampson)
monks.fit<-ergmm(samplike~latent(d=2,G=3),tofit="mcmc")
heatmap(predict(monks.fit),Rowv=NA,Colv=NA)
```

sampson

Cumulative network of positive affection within a monastery as a “network” object

Description

Sampson (1969) recorded the social interactions among a group of monks while resident as an experimenter on vision, and collected numerous sociometric rankings. During his stay, a political “crisis in the cloister” resulted in the expulsion of four monks (Nos. 2, 3, 17, and 18) and the voluntary departure of several others - most immediately, Nos. 1, 7, 14, 15, and 16. (In the end, only 5, 6, 9, and 11 remained). Of particular interest is the data on positive affect relations (“liking”), in which each monk was asked if they had positive relations to each of the other monks.

The data were gathered at three times to capture changes in group sentiment over time. They represent three time points in the period during which a new cohort entered the monastery near the end of the study but before the major conflict began.

Each member ranked only his top three choices on “liking”. (Some subjects offered tied ranks for their top four choices). A tie from monk A to monk B exists if A nominated B as one of his three best friends at that that time point.

`samplike` is the time-aggregated network. It is the cumulative tie for “liking” over the three periods. For this, a tie from monk A to monk B exists if A nominated B as one of his three best friends at any of the three time points.

This data is standard in the social network analysis literature, having been modeled by Holland and Leinhardt (1981), Reitz (1982), Holland, Laskey and Leinhardt (1983), and Fienberg, Meyer, and Wasserman (1981), Hoff, Raftery, and Handcock (2002), etc. This is only a small piece of the data collected by Sampson.

For additional examples of networks see the `netdata` package which is part of the `statnet` package.

Usage

```
data(sampson)
```

Source

Sampson, S.-F. (1968), *A novitiate in a period of change: An experimental and case study of relationships*, Unpublished ph.d. dissertation, Department of Sociology, Cornell University.

References

White, H.C., Boorman, S.A. and Breiger, R.L. (1976). *Social structure from multiple networks. I. Blockmodels of roles and positions*. *American Journal of Sociology*, 81(4), 730-780.

See Also

network, [plot.network](#), [ergmm](#)

Examples

```
data(sampson)
plot(samplike)
```

simulate	<i>Draw from the distribution of an Exponential Random Graph Mixed Model</i>
----------	--

Description

If passed a [ergmm](#) fit object, `simulate` is used to simulate networks from the posterior of an exponential random graph mixed model fit. Alternatively, a [ergmm.model](#) object can be passed to `simulate` based on a particular parametr configuration.

Usage

```
## S3 method for class 'ergmm':
simulate(object, nsim = 1, seed = NULL, ...)
## S3 method for class 'ergmm.model':
simulate(object, nsim=1, seed=NULL, par, prior=list(), ...)
```

Arguments

<code>object</code>	either an object of class <code>ergmm</code> for posterior simulation, or an object of class <code>ergmm.model</code> for a specific model.
<code>nsim</code>	number of networks to draw (independently)
<code>seed</code>	random seed to use; defaults to using the current state of the random number generator
<code>par</code>	a list with the parameter configuration based on which to simulate
<code>prior</code>	a list with the prior distribution parameters that deviate from their defaults
<code>...</code>	Additional arguments. Currently unused.

Details

A sample of networks is randomly drawn from the specified model. If a needed value of `par` is missing, it is generated from its prior distribution.

Value

If `nsim = 1`, `simulate` returns an object of class `network`. Otherwise, an object of class `network.series` that is a list consisting of the following elements:

<code>\\$formula</code>	The formula used to generate the sample.
<code>\\$networks</code>	A list of the generated networks.

See Also

`ergmm`, `network`, `print.network`

Examples

```
#
# Fit a short MCMC run: just the MCMC.
#
data(sampson)
gest <- ergmm(samplike ~ latent(d=2,G=3),
              control=ergmm.control(burnin=1000,interval=5))
#
# Draw from the posterior
#
g.sim <- simulate(gest)
plot(g.sim)
#
# Draw from the first draw from the posterior
#
g.sim <- with(gest,simulate(model,par=sample[[1]],prior=prior))
plot(g.sim)
```

summary.ergmm

*ERGMM Fit Summaries***Description**

summary.ergmm produces a summary of an [ergmm](#) object, including point estimates, standard errors, and BIC calculation.

Usage

```
## S3 method for class 'ergmm':
summary(object, point.est = c("pmean", "mkl"),
        quantiles = c(0.025, 0.975), se = FALSE, ...)
```

Arguments

object	An ergmm object to be summarized.
point.est	Point estimates to compute: a character vector with some subset of the following: "mle", "pmean", "mkl", "pmode".
quantiles	Posterior quantiles (credible intervals) to compute.
se	Whether to compute standard errors.
...	Additional arguments. Currently unused.

Value

An object of class [summary.ergmm](#). A print method is available.

The BICs are available as the element "bic" of the object returned. Note that BIC computed for the random effects models may not be correct.

See Also

[ergmm.object](#), [ergmm](#)

Examples

```
data(sampson)
samp.fit <- ergmm(samplike ~ latent(d=2, G=3)+rreceiver)
summary(samp.fit)
```

Description

Model terms that can be used in an `ergmm` formula and their parameter names.

Model Terms

The `latentnet` package itself allows only dyad-independent terms. In the formula for the model, the model terms are various function-like calls, some of which require arguments, separated by + signs.

Random Effects

`latent(d, G=0, var.mul=1/8, var=NULL, var.df.mul=1, var.df=NULL, mean.var.mul=1, me`

Latent position model term, with optional clustering. Adds a term to the model equal to the negative Euclidean distance $-||Z_i - Z_j||$, where Z_i and Z_j are the positions of their respective actors in an unobserved social space. These positions may optionally have a finite spherical Gaussian mixture clustering structure. The parameters are as follows:

`d` The dimension of the latent space.

`G` The number of groups (0 for no clustering).

`var.mul` In the absence of `var`, this argument will be used as a scaling factor for a function of average cluster size and latent space dimension to set `var`. To set it in the `prior` argument to `ergmm`, use `Z.var.mul`.

`var` If given, the scale parameter for the scale-inverse-chi-squared prior distribution of the within-cluster variance. To set it in the `prior` argument to `ergmm`, use `Z.var`.

`var.df.mul` In the absence of `var.df`, this argument is the multiplier for the square root of average cluster size, which serves in place of `var.df`. To set it in the `prior` argument to `ergmm`, use `Z.var.df.mul`.

`var.df` The degrees of freedom parameter for the scale-inverse-chi-squared prior distribution of the within-cluster variance. To set it in the `prior` argument to `ergmm`, use `Z.var.df`.

`mean.var.mul` In the absence of `mean.var`, the multiplier for a function of number of vertices and latent space dimension to set `mean.var`. To set it in the `prior` argument to `ergmm`, use `Z.mean.var.mul`.

`mean.var` The variance of the spherical Gaussian prior distribution of the cluster means. To set it in the `prior` argument to `ergmm`, use `Z.mean.var`.

`pK.mul` In the absence of `pK`, this argument is the multiplier for the square root of the average cluster size, which is used as `pK`. To set it in the `prior` argument to `ergmm`, use `Z.pK`.

`pK` The parameter of the Dirichlet prior distribution of cluster assignment probabilities. To set it in the `prior` argument to `ergmm`, use `Z.pK`.

The following parameters are associated with this term:

`Z` Numeric matrix with rows being latent space positions.

`Z.K` (**when** `G > 0`) Integer vector of cluster assignments.

`Z.mean` (**when** `G > 0`) Numeric matrix with rows being cluster means.

`Z.var` (**when** `G > 0`) Depending on the model, either a numeric vector with within-cluster variances or a numeric scalar with the overall latent space variance.

`Z.pK` (**when** `G > 0`) Numeric vector of probabilities of a vertex being in a particular cluster.

`rsender`(`var=1`, `var.df=3`) *Random sender effect*. Adds a random sender effect to the model, with normal prior centered around 0 and a variance that is estimated. Can only be used on directed networks. The parameters are as follows:

`var` The scale parameter for the scale-inverse-chi-squared prior distribution of the sender effect variance. To set it in the `prior` argument to `ergmm`, use `sender.var`.

`var.df` The degrees of freedom parameter for the scale-inverse-chi-squared prior distribution of the sender effect variance. To set it in the `prior` argument to `ergmm`, use `sender.var.df`.

The following parameters are associated with this term:

`sender` Numeric vector of values of each vertex's random sender effect.

`sender.var` Random sender effect's variance.

`rreceiver`(`var=1`, `var.df=3`) *Random receiver effect*. Adds a random receiver effect to the model, with normal prior centered around 0 and a variance that is estimated. Can only be used on directed networks. The parameters are as follows:

`var` The scale parameter for the scale-inverse-chi-squared prior distribution of the receiver effect variance. To set it in the `prior` argument to `ergmm`, use `receiver.var`.

`var.df` The degrees of freedom parameter for the scale-inverse-chi-squared prior distribution of the receiver effect variance. To set it in the `prior` argument to `ergmm`, use `receiver.var.df`.

The following parameters are associated with this term:

`receiver` Numeric vector of values of each vertex's random receiver effect.

`receiver.var` Random receiver effect's variance.

`rsociality`(`var=1`, `var.df=3`) *Random sociality effect*. Adds a random sociality effect to the model, with normal prior centered around 0 and a variance that is estimated. Can be used on either a directed or an undirected network. The parameters are as follows:

`var` The scale parameter for the scale-inverse-chi-squared prior distribution of the sociality effect variance. To set it in the `prior` argument to `ergmm`, use `sociality.var`.

`var.df` The degrees of freedom parameter for the scale-inverse-chi-squared prior distribution of the sociality effect variance. To set it in the `prior` argument to `ergmm`, use `sociality.var.df`.

The following parameters are associated with this term:

`sociality` Numeric vector of values of each vertex's random sociality effect.

`sociality.var` Random sociality effect's variance.

Fixed Effects

Each coefficient for a fixed effect covariate has a normal prior whose mean and variance are set by the `mean` and `var` parameters of the term. For those formula terms that add more than one

covariate, a vector can be given for mean and variance. If not, the vectors given will be repeated until the needed length is reached.

Each parameter in this section adds one element to beta vector.

`latentcov(x, attrname=NULL, mean=0, var=9)` *Edge covariates for the latent model.*

`x` is either a matrix of covariates on each pair of vertices, a network, or an edge attribute on `g`; if the latter, optional argument `attrname` provides the name of the edge attribute to use for edge values. `latentcov` can be called more than once, to model the effects of multiple covariates. Note that some covariates can be more conveniently specified using the following terms.

`absdiff(attrname, mean=0, var=9)` *Absolute Difference.* `attrname` is a character string giving the name of an attribute in the network's vertex attribute list. This term adds a covariate with the value `abs(attrname(i) - attrname(j))` for all edges.

`nodematch(attrname, diff=FALSE, mean=0, var=9)` *Uniform Homophily and Differential Homophily.* `attrname` is a character string giving the name of an attribute in the network's vertex attribute list. When `diff=FALSE`, this term adds one covariate with the value `attrname(i) == attrname(j)`. When `diff=TRUE`, p covariates are added to the model, where p is the number of unique values of the `attrname` attribute. The k th such covariate has the value `attrname(i) == attrname(j) == value(k)`, where `value(k)` is the k th smallest unique value of the `attrname` attribute.

`sendercov(attrname, force.factor=FALSE, mean=0, var=9)` *Sender covariate effect.* `attrname` is a character string giving the name of an attribute in the network's vertex attribute list. If the attribute is numeric, This term adds one covariate to the model equaling `attrname(i)`. If the attribute is not numeric or `force.factor==TRUE`, this term adds $p - 1$ covariates to the model, where p is the number of unique values of `attrname`. The k th such covariate has the value `attrname(i) == value(k+1)`, where `value(k)` is the k th smallest unique value of the `attrname` attribute. This term only makes sense if `g` is directed.

`receivercov(attrname, force.factor=FALSE, mean=0, var=9)` *Receiver covariate effect.* `attrname` is a character string giving the name of an attribute in the network's vertex attribute list. If the attribute is numeric, This term adds one covariate to the model equaling `attrname(j)`. If the attribute is not numeric or `force.factor==TRUE`, this term adds $p - 1$ covariates to the model, where p is the number of unique values of `attrname`. The k th such covariate has the value `attrname(j) == value(k+1)`, where `value(k)` is the k th smallest unique value of the `attrname` attribute. This term only makes sense if `g` is directed.

`socialitycov(attrname, force.factor=FALSE, mean=0, var=9)` *Sociality covariate effect.* `attrname` is a character string giving the name of an attribute in the network's vertex attribute list. If the attribute is numeric, This term adds one covariate to the model equaling `attrname(i) + attrname(j)`. If the attribute is not numeric or `force.factor==TRUE`, this term adds $p - 1$ covariates to the model, where p is the number of unique values of `attrname`. The k th such covariate has the value `attrname(i) == value(k+1) + attrname(j) == value(k+1)`, where `value(k)` is the k th smallest unique value of the `attrname` attribute. This term makes sense whether or not `g` is directed.

See Also

[ergmm](#)

tribes

*Read Highland Tribes***Description**

A network of political alliances and enmities among the 16 Gahuku-Gama sub-tribes of Eastern Central Highlands of New Guinea, documented by Read (1954).

Usage

```
data(tribes)
```

Format

An undirected `network` object with no loops, having the following attributes:

%v% "vertex.names" Character attribute with names of tribes.

%e% "pos" Logical attribute indicating an alliance relationship.

%e% "neg" Logical attribute indicating a hostile relationship ("rova").

%e% "sign" Numeric attribute coding -1 for enmity, 0 for no relationship, and 1 for alliance.

%e% "sign.012" Numeric attribute coding 0 for enmity, 1 for no relationship, and 2 for alliance.

Because of limitations of `network` objects, the object itself is a complete graph, and is thus meaningless if used directly or plotted.

Details

This network shows 3 clusters.

Source

<http://vlado.fmf.uni-lj.si/pub/networks/data/UciNet/UciData.htm#gama>, with corrections from Read (1954).

References

Taken from UCINET IV, which cites the following: Hage P. and Harary F. (1983). Structural models in anthropology. Cambridge: Cambridge University Press. (See p 56-60). Read K. (1954). Cultures of the central highlands, New Guinea. Southwestern Journal of Anthropology, 10, 1-43.

Examples

```
data(tribes)
tribes.fit<-ergmm(tribes~latent(d=2,G=3),response="sign.012",family="binomial.logit",fam.par
# Edge color must be set manually, for green ties to represent alliance
# and for red ties to represent enmity.
plot(tribes.fit,edge.col=as.matrix(tribes,"pos",m="a")*3+as.matrix(tribes,"neg",m="a")*2,pie
```

Index

*Topic **cluster**

- sampson, 22
- simulate, 23
- terms.ergmm, 25
- tribes, 28

*Topic **datagen**

- simulate, 23

*Topic **datasets**

- davis, 3
- sampson, 22
- tribes, 28

*Topic **debugging**

- as.mcmc.list.ergmm, 2
- mcmc.diagnostics.ergmm, 16

*Topic **distribution**

- predict.ergmm, 21

*Topic **graphs**

- as.mcmc.list.ergmm, 2
- ergmm, 4
- ergmm.control, 7
- ergmm.object, 9
- ergmm.par.list.object, 10
- ergmm.prior, 11
- families.ergmm, 11
- latentnet, 14
- mcmc.diagnostics.ergmm, 16
- merge.ergmm, 17
- plot.ergmm, 18
- predict.ergmm, 21
- sampson, 22
- simulate, 23
- summary.ergmm, 24
- terms.ergmm, 25
- tribes, 28

*Topic **hplot**

- mcmc.diagnostics.ergmm, 16
- plot.ergmm, 18

*Topic **list**

- ergmm.par.list.object, 10

*Topic **manip**

- as.mcmc.list.ergmm, 2
- ergmm.par.list.object, 10

*Topic **methods**

- ergmm.par.list.object, 10

*Topic **misc**

- ergmm.control, 7

*Topic **models**

- ergmm.object, 9
- ergmm.prior, 11
- families.ergmm, 11
- gof, 13
- latentnet, 14
- merge.ergmm, 17
- predict.ergmm, 21
- simulate, 23
- summary.ergmm, 24
- terms.ergmm, 25

*Topic **multivariate**

- tribes, 28

*Topic **nonlinear**

- latentnet, 14
- simulate, 23
- terms.ergmm, 25

*Topic **nonparametric**

- latentnet, 14
- simulate, 23
- terms.ergmm, 25

*Topic **package**

- latentnet, 14

*Topic **print**

- summary.ergmm, 24

*Topic **regression**

- ergmm.object, 9
- families.ergmm, 11
- latentnet, 14
- terms.ergmm, 25

*Topic **utilities**

- ergmm.par.list.object, 10

- `[.ergmm.par.list`
(*ergmm.par.list.object*), 10
- `[[.ergmm.par.list`
(*ergmm.par.list.object*), 10
- `$.ergmm.par.list`
(*ergmm.par.list.object*), 10
- `as.ergmm.par.list`
(*ergmm.par.list.object*), 10
- `as.mcmc.ergmm`, 9
- `as.mcmc.ergmm`
(*as.mcmc.list.ergmm*), 2
- `as.mcmc.list.ergmm`, 2, 9
- `as.mcmc.list.ergmm.par.list`
(*ergmm.par.list.object*), 10
- `autocorr`, 16
- `bic.ergmm` (*summary.ergmm*), 24
- `control.ergmm` (*ergmm.control*), 7
- `davis`, 3
- `del.iteration`
(*ergmm.par.list.object*), 10
- `dlpY.deta.Bernoulli.logit`
(*families.ergmm*), 11
- `dlpY.deta.binomial.logit`
(*families.ergmm*), 11
- `dlpY.deta.fs` (*families.ergmm*), 11
- `dlpY.deta.Poisson.log`
(*families.ergmm*), 11
- `ergm`, 14
- `ergm-terms`, 13
- `ergmm`, 2, 4, 4–6, 8–11, 13–28
- `ergmm` (object), 14
- `ERGMM fit object`, 5
- `ergmm.control`, 5, 7
- `ergmm.families` (*families.ergmm*),
11
- `ergmm.model`, 23
- `ergmm.object`, 9, 16, 17, 20, 25
- `ergmm.par.list`, 9, 10
- `ergmm.par.list`
(*ergmm.par.list.object*), 10
- `ergmm.par.list.object`, 10
- `ergmm.prior`, 5, 11
- `ergmm.terms` (*terms.ergmm*), 25
- `EY.Bernoulli.logit`
(*families.ergmm*), 11
- `EY.binomial.logit`
(*families.ergmm*), 11
- `EY.fs` (*families.ergmm*), 11
- `EY.Poisson.log` (*families.ergmm*),
11
- `fam.par.check` (*families.ergmm*), 11
- `families.ergmm`, 11
- `family.IDs` (*families.ergmm*), 11
- `family.names` (*families.ergmm*), 11
- `gof`, 13, 13, 14
- `gof.ergmm`, 14
- `latent` (*ergmm*), 4
- `latentcluster` (*ergmm*), 4
- `latentnet`, 14, 25
- `length.ergmm.par.list`
(*ergmm.par.list.object*), 10
- `lpY.Bernoulli.logit`
(*families.ergmm*), 11
- `lpY.binomial.logit`
(*families.ergmm*), 11
- `lpY.fs` (*families.ergmm*), 11
- `lpY.Poisson.log` (*families.ergmm*),
11
- `lpYc.Bernoulli.logit`
(*families.ergmm*), 11
- `lpYc.binomial.logit`
(*families.ergmm*), 11
- `lpYc.fs` (*families.ergmm*), 11
- `lpYc.Poisson.log`
(*families.ergmm*), 11
- `mcmc`, 2
- `mcmc.diagnostics`
(*mcmc.diagnostics.ergmm*),
16
- `mcmc.diagnostics.ergmm`, 2, 16
- `mcmc.list`, 2
- `merge.ergmm`, 17
- `mk.lp.optim.fs` (*families.ergmm*),
11
- `network`, 24, 28
- `par`, 20
- `plot`, 20
- `plot.ergmm`, 9, 15, 18, 18
- `plot.gofobject`, 14

`plot.mcmc.list`, 16
`plot.network`, 19, 20, 23
`plot3d.ergmm` (`plot.ergmm`), 18
`predict.ergmm`, 9, 21
`print.ergmm` (`ergmm.object`), 9
`print.network`, 24
`print.summary.ergmm`
 (`summary.ergmm`), 24
`pY.Bernoulli.logit`
 (`families.ergmm`), 11
`pY.binomial.logit`
 (`families.ergmm`), 11
`pY.fs` (`families.ergmm`), 11
`pY.Poisson.log` (`families.ergmm`),
 11

`raftery.diag`, 16
`rsm.Bernoulli.logit`
 (`families.ergmm`), 11
`rsm.binomial.logit`
 (`families.ergmm`), 11
`rsm.fs` (`families.ergmm`), 11
`rsm.Poisson.log` (`families.ergmm`),
 11

`samplike` (`sampson`), 22
`sampson`, 22
`show.ergmm` (`ergmm.object`), 9
`simulate`, 23
`simulate.ergmm`, 14
`snowFT`, 7
`stack.ergmm.par.list.list`
 (`ergmm.par.list.object`), 10
`summary`, 15
`summary.ergmm`, 6, 9, 24, 25

`terms.ergmm`, 5, 6, 10, 11, 15, 25
`tribes`, 28

`unstack.ergmm.par.list`
 (`ergmm.par.list.object`), 10