

# Package ‘quantmod’

November 1, 2009

**Type** Package

**Title** Quantitative Financial Modelling Framework

**Version** 0.3-13

**Date** 2009-10-14

**Author** Jeffrey A. Ryan

**Depends** methods,xts(>= 0.6-7),zoo,Defaults,TTR(>= 0.2)

**Suggests** DBI,RMySQL,RSQLite,fSeries,its

**Maintainer** Jeffrey A. Ryan <jeff.a.ryan@gmail.com>

**Description** Specify, build, trade, and analyse quantitative financial trading strategies

**LazyLoad** yes

**License** GPL-3

**URL** <http://www.quantmod.com> <http://r-forge.r-project.org/projects/quantmod>

**Repository** CRAN

**Date/Publication** 2009-11-01 17:33:52

## R topics documented:

quantmod-package . . . . .	3
addADX . . . . .	4
addBBands . . . . .	5
addExpiry . . . . .	6
addMA . . . . .	7
addMACD . . . . .	8
addROC . . . . .	9
addRSI . . . . .	10
addSAR . . . . .	11
addSMI . . . . .	12

addVo . . . . .	13
addWPR . . . . .	14
adjustOHLC . . . . .	15
attachSymbols . . . . .	16
buildData . . . . .	18
buildModel . . . . .	19
chartSeries . . . . .	21
chartTheme . . . . .	24
chob-class . . . . .	26
chobTA-class . . . . .	27
create.binding . . . . .	28
Delt . . . . .	29
findPeaks . . . . .	30
fittedModel . . . . .	31
getDividends . . . . .	33
getFinancials . . . . .	34
getFX . . . . .	36
getMetals . . . . .	37
getModelData . . . . .	39
getOptionChain . . . . .	40
getQuote . . . . .	41
getSplits . . . . .	42
getSymbols . . . . .	43
getSymbols.csv . . . . .	46
getSymbols.FRED . . . . .	48
getSymbols.google . . . . .	50
getSymbols.MySQL . . . . .	51
getSymbols.oanda . . . . .	53
getSymbols.SQLite . . . . .	55
getSymbols.yahoo . . . . .	56
has.OHLC . . . . .	58
internal-quantmod . . . . .	59
is.quantmod . . . . .	60
Lag . . . . .	60
modelData . . . . .	62
modelSignal . . . . .	63
newTA . . . . .	63
Next . . . . .	67
OHLC.Transformations . . . . .	68
options.expiry . . . . .	70
periodReturn . . . . .	71
quantmod-class . . . . .	73
quantmod.OHLC . . . . .	74
saveChart . . . . .	75
setSymbolLookup . . . . .	77
setTA . . . . .	79
specifyModel . . . . .	80
TA . . . . .	81

*quantmod-package* 3

tradeModel . . . . . 83  
zoomChart . . . . . 85

**Index** 87

---

quantmod-package *Quantitative Financial Modelling Framework*

---

## Description

Quantitative Financial Modelling and Trading Framework for R

## Details

Package: quantmod  
Type: Package  
Version: 0.3-8  
Date: 2007-11-20  
Depends: xts(>=0.0-15),Defaults  
Suggests: DBI,RMySQL,TTR,fSeries,its  
LazyLoad: yes  
License: GPL-3  
URL: <http://www.quantmod.com>  
URL: <http://quantmod.r-forge.r-project.org>

The quantmod package for R is designed to assist the quantitative trader in the development, testing, and deployment of statistically based trading models.

### *What quantmod IS*

A rapid prototyping environment, where quant traders can quickly and cleanly explore and build trading models.

### *What quantmod is NOT*

A replacement for anything statistical. It has no 'new' modelling routines or analysis tool to speak of. It does now offer charting not currently available elsewhere in R, but most everything else is more of a wrapper to what you already know and love about the language and packages you currently use.

quantmod makes modelling easier by removing the repetitive workflow issues surrounding data management, modelling interfaces, and performance analysis.

## Author(s)

Jeffrey A. Ryan

Maintainer: Jeffrey A. Ryan <[jeff.a.ryan@gmail.com](mailto:jeff.a.ryan@gmail.com)>

---

`addADX`*Add Directional Movement Index*

---

**Description**

Add Directional Movement Index

**Usage**

```
addADX(n = 14, maType="EMA", wilder=TRUE)
```

**Arguments**

<code>n</code>	periods to use for DX calculation
<code>maType</code>	moving average type
<code>wilder</code>	should Welles Wilder EMA be used?

**Details**

See 'ADX' in **TTR** for specific details and references.

**Value**

An ADX indicator will be draw in a new window on the current chart. A chobTA object will be returned silently.

**Author(s)**

Jeffrey A. Ryan

**References**

see ADX in **TTR** written by Josh Ulrich

**See Also**

[addTA](#)

**Examples**

```
## Not run:  
addADX()  
## End(Not run)
```

---

`addBBands`*Add Bollinger Bands to Chart*

---

**Description**

Add Bollinger Bands to current chart.

**Usage**

```
addBBands(n = 20, sd = 2, maType = "SMA", draw = 'bands', on = -1)
```

**Arguments**

<code>n</code>	number of moving average periods
<code>maType</code>	type of moving average to be used
<code>sd</code>	number of standard deviations
<code>draw</code>	indicator to draw: bands, percent, or width
<code>on</code>	which figure area of chart to apply to

**Details**

The primary addition to this function call over the **TTR** version is in the `draw` argument. ‘bands’ will draw standard Bollinger Bands, ‘percent’ will draw Bollinger %b and ‘width’ will draw Bolinger Bands Width. The last two will be drawn in new figure regions.

See `bollingerBands` in **TTR** for specific details as to implementation and references.

**Value**

Bollinger Bands will be drawn, or scheduled to be drawn, on the current chart. If `draw` is either percent or width a new figure will be added to the current TA figures charted.

A `chobTA` object will be returned silently.

**Author(s)**

Jeffrey A. Ryan

**References**

See `bollingerBands` in **TTR** written by Josh Ulrich

**See Also**

[addTA](#)

## Examples

```
## Not run:  
addBBands()  
## End(Not run)
```

---

addExpiry	<i>Add Contract Expiration Bars to Chart</i>
-----------	--

---

## Description

Apply options or futures expiration vertical bars to current chart.

## Usage

```
addExpiry(type = "options", lty = "dotted")
```

## Arguments

type	options or futures expiration
lty	type of lines to draw

## Details

See `options.expiry` and `futures.expiry` in **quantmod** for details and limitations.

## Value

Expiration lines will be drawn at appropriate dates. A `chibTA` object will be returned silently.

## Author(s)

Jeffrey A. Ryan

## See Also

[addTA](#)

## Examples

```
## Not run:  
addExpiry()  
## End(Not run)
```

---

addMA *Add Moving Average to Chart*

---

### Description

Add one or more moving averages to a chart.

### Usage

```
addSMA(n = 10, on = 1, with.col = Cl, overlay = TRUE, col = "brown")
```

```
addEMA(n = 10, wilder = FALSE, ratio=NULL, on = 1,  
       with.col = Cl, overlay = TRUE, col = "blue")
```

```
addWMA(n = 10, wts=1:n, on = 1, with.col = Cl, overlay = TRUE, col = "green")
```

```
addDEMA(n = 10, on = 1, with.col = Cl, overlay = TRUE, col = "pink")
```

```
addEVWMA(n = 10, on = 1, with.col = Cl, overlay = TRUE, col = "yellow")
```

```
addZLEMA(n = 10, ratio=NULL, on = 1, with.col = Cl, overlay = TRUE, col = "red")
```

### Arguments

n	periods to average over
wilder	logical; use wilder?
wts	a vector of weights
ratio	a smoothing/decay ratio
on	apply to which figure (see below)
with.col	using which column of data (see below)
overlay	draw as overlay
col	color of MA

### Details

see the appropriate base MA functions in **TTR** for more details and references.

### Value

A moving average indicator will be draw on the current chart. A chobTA object will be returned silently.

### Author(s)

Jeffrey A. Ryan

**References**

see MovingAverages in **TTR** written by Josh Ulrich

**See Also**

[addTA](#)

**Examples**

```
## Not run:
addSMA()
addEMA()
addWMA()
addDEMA()
addEVWMA()
addZLEMA()
## End(Not run)
```

---

addMACD

*Add Moving Average Convergence Divergence to Chart*

---

**Description**

Add Moving Average Convergence Divergence indicator to chart.

**Usage**

```
addMACD(fast = 12, slow = 26, signal = 9, type = "EMA", histogram = TRUE, col)
```

**Arguments**

fast	fast period
slow	slow period
signal	signal period
type	type of MA to use. Single values will be replicated
histogram	include histogram
col	colors to use for lines (optional)

**Details**

See and 'MACD' in **TTR** for specific details and implementation references.

**Value**

A MACD indicator will be draw in a new window on the current chart. A chobTA object will be returned silently.

**Author(s)**

Jeffrey A. Ryan

**References**

see MACD in **TTR** written by Josh Ulrich

**See Also**

[addTA](#)

**Examples**

```
## Not run:  
addMACD()  
## End(Not run)
```

---

addROC	<i>Add Rate Of Change to Chart</i>
--------	------------------------------------

---

**Description**

Add Rate Of Change indicator to chart.

**Usage**

```
addROC(n = 1, type = c("discrete", "continuous"), col = "red")
```

**Arguments**

n	periods
type	compounding type
col	line color (optional)

**Details**

See 'ROC' in **TTR** for specific details and references.

**Value**

A ROC indicator will be draw in a new window on the current chart. A chobTA object will be returned silently.

**Author(s)**

Jeffrey A. Ryan

## References

see ROC in **TTR** written by Josh Ulrich

## See Also

[addTA](#)

## Examples

```
## Not run:  
addROC()  
## End(Not run)
```

---

addRSI

*Add Relative Strength Index to Chart*

---

## Description

Add a Relative Strength Index indicator to chart.

## Usage

```
addRSI(n = 14, maType = "EMA", wilder = TRUE)
```

## Arguments

n	periods
maType	type of MA to use
wilder	use wilder (see EMA)

## Details

see 'RSI' in **TTR** for specific details and references.

## Value

An RSI indicator will be draw in a new window on the current chart. A chobTA object will be returned silently.

## Author(s)

Jeffrey A. Ryan

## References

see RSI in **TTR** written by Josh Ulrich

**See Also**[addTA](#)**Examples**

```
## Not run:  
addRSI()  
## End(Not run)
```

---

`addSAR`*Add Parabolic Stop and Reversal to Chart*

---

**Description**

Add Parabolic Stop and Reversal indicator overlay to chart.

**Usage**

```
addSAR(accel = c(0.02, 0.2), col = "blue")
```

**Arguments**

<code>accel</code>	Acceleration factors - see SAR
<code>col</code>	color of points (optional)

**Details**

see 'SAR' in **TTR** for specific details and references.

**Value**

A SAR overlay will be drawn on the current chart. A `chobTA` object will be returned silently.

**Author(s)**

Jeffrey A. Ryan

**References**

see SAR in **TTR** written by Josh Ulrich

**See Also**[addTA](#)**Examples**

```
## Not run:  
addSAR()  
## End(Not run)
```

---

`addSMI`*Add Stochastic Momentum Indicator to Chart*

---

**Description**

Add Stochastic Momentum Indicator to chart.

**Usage**

```
addSMI (n=13,slow=25,fast=2,signal=9,ma.type="EMA")
```

**Arguments**

<code>n</code>	periods
<code>slow</code>	slow
<code>fast</code>	fast
<code>signal</code>	signal
<code>ma.type</code>	MA type to use, recycled as necessary

**Details**

see 'SMI in **TTR** for specifics and references.

**Value**

An SMI indicator will be draw in a new window on the current chart. A chobTA object will be returned silently.

**Author(s)**

Jeffrey A. Ryan

**References**

see SMI in **TTR** written by Josh Ulrich

**See Also**

[addTA](#)

**Examples**

```
## Not run:  
addSMI ()  
## End(Not run)
```

---

addVo	<i>Add Volume to Chart</i>
-------	----------------------------

---

**Description**

Add Volume of a series, if available, to the current chart. This is the default TA argument for all charting functions.

**Usage**

```
addVo(log.scale=FALSE)
```

**Arguments**

`log.scale`      use log-scale for volume

**Details**

Add volume bars to current chart if data object contains appropriate volume column.

`log.scale` will transform the series via standard R graphics mechanisms.

**Value**

Volume will be draw in a new window on the current chart. A `chobTA` object will be returned silently.

**Author(s)**

Jeffrey A. Ryan

**See Also**

[addTA](#)

**Examples**

```
## Not run:  
addVo()  
## End(Not run)
```

---

`addWPR`*Add William's Percent R to Chart*

---

**Description**

Add William's percent R indicator to the current chart.

**Usage**

```
addWPR(n = 14)
```

**Arguments**

n                    periods

**Details**

see 'WPR' in **TTR** for details and references.

**Value**

A William's percent R indicator will be draw in a new window on the current chart. A `chobTA` object will be returned silently.

**Author(s)**

Jeffrey A. Ryan

**References**

see 'WPR' in **TTR** written by Josh Ulrich

**See Also**

[addTA](#)

**Examples**

```
## Not run:  
addWPR()  
## End(Not run)
```

---

adjustOHLC

*Adjust Open, High, Low, Close Prices For Splits and Dividends*


---

**Description**

Adjust all columns of an OHLC object for split and dividend.

**Usage**

```
adjustOHLC(x,
           adjust = c("split", "dividend"),
           use.Adjusted = FALSE,
           ratio = NULL)
```

**Arguments**

<code>x</code>	An OHLC object
<code>adjust</code>	adjust by split, dividend, or both (default)
<code>use.Adjusted</code>	use the 'Adjusted' column in Yahoo! data to adjust
<code>ratio</code>	ratio to adjust with, bypassing internal calculations

**Details**

This function calculates the adjusted Open, High, Low, and Close prices according to split and dividend information.

There are three methods available to calculate the new OHLC object prices.

By default, `getSplits` and `getDividends` are called to retrieve the respective information. These may dispatch to custom methods following the “.” methodology used by `quantmod` dispatch. See `getSymbols` for information related to extending `quantmod`. This information is passed to `adjSplitDiv` from the **TTR** package, and the resulting ratio calculations are used to adjust to observed historical prices. This is the most precise way to adjust a series.

The second method works only on standard Yahoo! data containing an explicit Adjusted column.

A final method allows for one to pass a `ratio` into the function directly.

All methods proceed as follows:

New columns are derived by taking the ratio of adjusted value to original Close, and multiplying by the difference of the respective column and the original Close. This is then added to the modified Close column to arrive at the remaining 'adjusted' Open, High, Low column values.

If no adjustment is needed, the function returns the original data unaltered.

**Value**

An object of the original class, with prices adjusted for splits and dividends.

**Warning**

Using `use.Adjusted = TRUE` will be less precise than the method that employs actual split and dividend information. This is due to loss of precision from Yahoo! using Adjusted columns of only two decimal places. The advantage is that this can be run offline, and for short series or those with few adjustments the loss of precision will be small.

The resulting precision loss will be from row observation to row observation, as the calculation will be exact for intraday values.

**Author(s)**

Jeffrey A. Ryan

**References**

Yahoo Finance <http://finance.yahoo.com>

**See Also**

[getSymbols.yahoo](#) [getSplits](#) [getDividends](#)

**Examples**

```
## Not run:
getSymbols("AAPL", from="1990-01-01", src="yahoo")
head(AAPL)
head(AAPL.a <- adjustOHLC(AAPL))
head(AAPL.uA <- adjustOHLC(AAPL, use.Adjusted=TRUE))

# intrada adjustments are precise across all methods
# an example with Open to Close (OpCl)
head(cbind(OpCl(AAPL), OpCl(AAPL.a), OpCl(AAPL.uA)))

# Close to Close changes ma lose precision
head(cbind(ClCl(AAPL), ClCl(AAPL.a), ClCl(AAPL.uA)))
## End(Not run)
```

---

attachSymbols

*Attach and Flush DDB*

---

**Description**

Attach a demand database (lazy load) as a new environment.

**Usage**

```
attachSymbols(DB = DDB_Yahoo(),
              pos = 2,
              prefix = NULL,
              postfix = NULL,
              mem.cache = TRUE,
              file.cache = !mem.cache,
              cache.dir = tempdir())

flushSymbols(DB = DDB_Yahoo())
```

**Arguments**

DB	A DDB data base object
pos	position in search path to attach DB
prefix	character to prefix all symbols with
postfix	character to postfix all symbols with
mem.cache	should objects be cached in memory
file.cache	should objects be cached in on disk
cache.dir	directory to use for file.cache=TRUE

**Details**

An experimental function to allow access to remote objects without requiring explicit calls to a loading function.

`attachSymbols` requires a DDB object to define where the data is to come from, as well as what symbols are loaded on-demand.

`attachSymbols` calls the method referred to by the DDB object. In the default case this is `DDB_Yahoo`. See this function for specific details about the Yahoo implementation.

The individual methods make use of `getSymbols` to load the data. This requires a corresponding `getSymbols` method.

Internally, `attachSymbols` makes use of `quantmod`'s unexported `create.bindings` to dynamically create active bindings to each symbol listed in the DDB object.

In turn, `create.bindings` uses one of two R methods to create the binding to the names required. This depends on the cache method requested.

Immediately after a call to `attachSymbols`, a new environment is attached that contains the names of objects yet to be loaded. This is similar to the lazy-load mechanism in R, though extended to be both more general and easier to use.

It is important to note that no data is loaded at this stage. What occurs instead is that these symbols now have active bindings using either `delayedAssign` (`mem.cache`) or `makeActiveBinding` (`file.cache`).

During all future requests for the object(s) in question, the binding will be used to determine how this data is loaded into R. `mem.cache` will simply load the data from its corresponding source (as defined by the DDB object) and leave it in the environment specified in the original call. The effect

of this is to allow lazy-loading of data from a variety of external sources (Yahoo in the default case). Once loaded, these are cached in R's memory. Nothing further differentiates these from standard variables. This also means that the environment will grow as more symbols are loaded.

If the `file.cache` option is set, the data is loaded from its source the first time the symbol is referenced. The difference is that the data is then written to a temporary file and maintained there. Data is loaded and subsequently removed upon each request for the object. See `makeActiveBinding` for details of how this occurs at the R level.

A primary advantage of using the `file.cache` option is the ability to maintain hundreds or thousands of objects in your current session without using memory, or explicitly loading and removing. The main downside of this approach is that data must be loaded from disk each time, with the corresponding (if generally negligible) overhead of file access.

### Note

This function is new, and all aspects may change in the near future.

### Author(s)

Jeffrey A. Ryan

### References

Luke's stuff and Mark Brevington and Roger Peng

### See Also

`delayedAssign`, `makeActiveBinding`

### Examples

```
## Not run:
attachSymbols()
SBUX
QQQQ
ls()
## End(Not run)
```

---

buildData

*Create Data Object for Modelling*

---

### Description

Create one data object from multiple sources, applying transformations via standard R formula mechanism.

### Usage

```
buildData(formula, na.rm = TRUE, return.class = "zoo")
```

**Arguments**

`formula` an object of class `formula` (or one that can be coerced to that class): a symbolic description of the desired output data object, with the dependent side corresponding to first column, and the independent parameters of the formula assigned to the remaining columns.

`na.rm` drop rows with missing values?

`return.class` one of "zoo", "data.frame", "ts", "its", "timeSeries"

**Details**

Makes available for use *outside* the **quantmod** workflow a dataset of appropriately transformed variables, using the same mechanism underlying `specifyModel`. Offers the ability to apply transformations to raw data using a common formula mechanism, without having to explicitly merge different data objects.

Internally calls `specifyModel` followed by `modelData`, with the returned object being coerced to the desired 'return.class' if possible, otherwise returns a `zoo` object.

See `getSymbols` and `specifyModel` for more information regarding proper usage.

**Value**

An object of class `return.class`.

**Author(s)**

Jeffrey A. Ryan

**See Also**

[getSymbols](#), [specifyModel](#), [modelData](#)

**Examples**

```
## Not run:
  buildData(Next(OpCl(DIA)) ~ Lag(TBILL) + I(Lag(OpHi(DIA))^2))
  buildData(Next(OpCl(DIA)) ~ Lag(TBILL), na.rm=FALSE)
  buildData(Next(OpCl(DIA)) ~ Lag(TBILL), na.rm=FALSE, return.class="ts")
## End(Not run)
```

---

buildModel

*Build quantmod model given specified fitting method*

---

**Description**

Construct and attach a fitted model of type `method` to `quantmod` object.

**Usage**

```
buildModel(x, method, training.per, ...)
```

**Arguments**

<code>x</code>	An object of class <code>quantmod</code> created with <code>specifyModel</code> or an R formula
<code>training.per</code>	character vector representing dates in ISO 8601 format “CCYY-MM-DD” or “CCYY-MM-DD HH:MM:SS” of length 2
<code>method</code>	A character string naming the fitting method. See details section for available methods, and how to create new methods.
<code>...</code>	Additional arguments to method call

**Details**

Currently available methods include:

`lm`, `glm`, `loess`, `step`, `ppr`, `rpart`[`rpart`], `tree`[`tree`], `randomForest`[`randomForest`], `mars`[`mda`], `polymars`[`polyspline`], `lars`[`lars`], `rq`[`quantreg`], `lqs`[`MASS`], `rlm`[`MASS`], `svm`[`e1071`], and `nnet`[`nnet`].

The `training.per` *should* match the underlying date format of the time-series data used in modelling. Any other style may not return what you expect.

Additional methods wrappers can be created to allow for modelling using custom functions. The only requirements are for a wrapper function to be constructed taking parameters `quantmod`, `training.data`, and `...`. The function must return the fitted model object and have a `predict` method available. It is possible to add `predict` methods if non exist by adding an S3 method for `predictModel`. The `buildModel.skeleton` function can be used for new methods.

**Value**

An object of class `quantmod` with fitted model attached

**Note**

See `buildModel.skeleton` for information on adding additional methods

**Author(s)**

Jeffrey Ryan

**See Also**

[specifyModel](#) [tradeModel](#)

**Examples**

```
## Not run:
getSymbols('QQQQ', src='yahoo')
q.model = specifyModel(Next(OpCl(QQQQ)) ~ Lag(OpHi(QQQQ), 0:3))
buildModel(q.model, method='lm', training.per=c('2006-08-01', '2006-09-30'))
## End(Not run)
```

## Description

Charting tool to create standard financial charts given a time series like object. Serves as the base function for future technical analysis additions. Possible chart styles include candles, matches (1 pixel candles), bars, and lines. Chart may have white or black background.

`reChart` allows for dynamic changes to the chart without having to respecify the full chart parameters.

## Usage

```
chartSeries(x,
            type = c("auto", "candlesticks", "matchsticks", "bars", "line"),
            subset = NULL,
            show.grid = TRUE,
            name = NULL,
            time.scale = NULL,
            log.scale = FALSE,
            TA = 'addVo()',
            TAsep=';',
            line.type = "l",
            bar.type = "ohlc",
            theme = chartTheme("black"),
            layout = NA,
            major.ticks='auto', minor.ticks=TRUE,
            yrange=NULL,
            plot=TRUE,
            up.col,dn.col,color.vol = TRUE, multi.col = FALSE,
            ...)

reChart(type = c("auto", "candlesticks", "matchsticks", "bars", "line"),
        subset = NULL,
        show.grid = TRUE,
        name = NULL,
        time.scale = NULL,
        line.type = "l",
        bar.type = "ohlc",
        theme = chartTheme("black"),
        major.ticks='auto', minor.ticks=TRUE,
        yrange=NULL,
        up.col,dn.col,color.vol = TRUE, multi.col = FALSE,
        ...)
```

**Arguments**

<code>x</code>	an OHLC object - see details
<code>type</code>	style of chart to draw
<code>subset</code>	xts style date subsetting argument
<code>show.grid</code>	display price grid lines?
<code>name</code>	name of chart
<code>time.scale</code>	what is the timescale? automatically deduced (broken)
<code>log.scale</code>	should the y-axis be log-scaled?
<code>TA</code>	a vector of technical indicators and params, or character strings
<code>TAsep</code>	TA delimiter for TA strings
<code>line.type</code>	type of line in line chart
<code>bar.type</code>	type of barchart - ohlc or hlc
<code>theme</code>	a <code>chart.theme</code> object
<code>layout</code>	if <code>NULL</code> bypass internal layout
<code>major.ticks</code>	where should major ticks be drawn
<code>minor.ticks</code>	should minor ticks be draw?
<code>yrange</code>	override y-scale
<code>plot</code>	should plot be drawn
<code>up.col</code>	up bar/candle color
<code>dn.col</code>	down bar/candle color
<code>color.vol</code>	color code volume?
<code>multi.col</code>	4 color candle pattern
<code>...</code>	additional parameters

**Details**

Currently displays standard style OHLC charts familiar in financial applications, or line charts when not passes OHLC data. Works with objects having explicit time-series properties.

Line charts are created with close data, or from single column time series.

The `subset` argument can be used to specify a particular area of the series to view. The underlying series is left intact to allow for TA functions to use the full data set. Additionally, it is possible to use syntax borrowed from the `first` and `last` functions, e.g. 'last 4 months'.

TA allows for the inclusion of a variety of chart overlays and technical indicators. A full list is available from `addTA`. The default TA argument is `addVo()` - which adds volume, if available, to the chart being drawn.

`theme` requires an object of class `chart.theme`, created by a call to `chartTheme`. This function can be used to modify the look of the resulting chart. See `chart.theme` for details.

`line.type` and `bar.type` allow further fine tuning of chart styles to user tastes.

`multi.col` implements a color coding scheme used in some charting applications, and follows the following rules:

grey => Op[t] < Cl[t] and Op[t] < Cl[t-1]

white => Op[t] < Cl[t] and Op[t] > Cl[t-1]

red => Op[t] > Cl[t] and Op[t] < Cl[t-1]

black => Op[t] > Cl[t] and Op[t] > Cl[t-1]

`reChart` takes any number of arguments from the original chart call — and redraws the chart with the updated parameters. One item of note: if multiple color bars/candles are desired, it is necessary to respecify the `theme` argument. Additionally it is not possible to change TA parameters at present. This must be done with `addTA/dropTA/swapTA/moveTA` commands.

### Value

Returns a standard chart plus volume, if available, suitably scaled.

If `plot=FALSE` a `chob` object will be returned.

### Note

Most details can be fine-tuned within the function, though the code does a reasonable job of scaling and labelling axes for the user.

The current implementation maintains a record of actions carried out for any particular chart. This is used to recreate the original when adding new indicator. A list of applied TA actions is available with a call to `listTA`. This list can be assigned to a variable and used in new chart calls to recreate a set of technical indicators. It is also possible to force all future charts to use the same indicators by calling `setTA`.

Additional motivation to add outlined candles to allow for scaling and advanced color coding is owed to Josh Ulrich, as are the base functions (from **TTR**) for the yet to be released technical analysis charting code.

Many improvements in the current version were the result of conversations with Gabor Grothendieck. Many thanks to him.

### Author(s)

Jeffrey A. Ryan

### References

Josh Ulrich - **TTR** package and `multi.col` coding

### See Also

[getSymbols](#), [addTA](#), [setTA](#), [chartTheme](#)

**Examples**

```
## Not run:
getSymbols("YH00")
chartSeries(YH00)
chartSeries(YH00, subset='last 4 months')
chartSeries(YH00, subset='2007::2008-01')
chartSeries(YH00, theme=chartTheme('white'))
chartSeries(YH00, TA=NULL) #no volume
chartSeries(YH00, TA=c(addVo(), addBBands())) #add volume and Bollinger Bands from TTR

addMACD() # add MACD indicator to current chart

setTA()
chartSeries(YH00) #draws chart again, this time will all indicators present
## End(Not run)
```

---

chartTheme

---

*Create A Chart Theme*


---

**Description**

Create a chart.theme object for use within chartSeries to manage desired chart colors.

**Usage**

```
chartTheme(theme = "black", ...)
```

**Arguments**

theme	name of base theme
...	name=value pairs to modify

**Details**

Used as an argument to the chartSeries family of functions, chartTheme allows for on-the-fly modification of pre-specified chart ‘themes’. Users can modify a pre-built theme in-place, or copy the theme to a new variable for use in subsequent charting calls.

Internally a chart.theme object is nothing more than a list of values organized by chart components. The primary purpose of this is to facilitate minor modification on the fly, as well as provide a template for larger changes.

Setting style arguments for TA calls via chartTheme requires the user to pass the styles as name=value pairs with a name containing the TA call in question. See examples for assistance.

Current components that may be modified with appropriate values:

```
fg.col foreground color
bg.col background color
grid.col grid color
```

border border color  
minor.tick minor tickmark color  
major.tick major tickmark color  
up.col up bar/candle color  
dn.col down bar/candle color  
up.up.col up after up bar/candle color  
up.dn.col up after down bar/candle color  
dn.dn.col down after down bar/candle color  
dn.up.col down after up bar/candle color  
up.border up bar/candle border color  
dn.border down bar/candle border color  
up.up.border up after up bar/candle border color  
up.dn.border up after down bar/candle border color  
dn.dn.border down after down bar/candle border color  
dn.up.border down after up bar/candle border color

**Value**

A chart.theme object

**Author(s)**

Jeffrey A. Ryan

**See Also**

[chartSeries](#)

**Examples**

```
chartTheme()  
chartTheme('white')  
chartTheme('white', up.col='blue', dn.col='red')  
  
# A TA example  
chartTheme(addRSI.col='red')  
  
str(chartTheme())
```

---

`chob-class`*A Chart Object Class*

---

**Description**

Internal Objects for Tracking and Plotting Chart Changes

**Objects from the Class**

Objects are created internally through the charting functions `chartSeries`, `barChart`, `lineChart`, and `candleChart`.

**Slots**

**device:** Object of class "ANY" ~~  
**call:** Object of class "call" ~~  
**xdata:** Object of class "ANY" ~~  
**xsubset:** Object of class "ANY" ~~  
**name:** Object of class "character" ~~  
**type:** Object of class "character" ~~  
**passed.args:** Object of class "ANY" ~~  
**windows:** Object of class "numeric" ~~  
**xrange:** Object of class "numeric" ~~  
**yrange:** Object of class "numeric" ~~  
**log.scale:** Object of class "logical" ~~  
**length:** Object of class "numeric" ~~  
**color.vol:** Object of class "logical" ~~  
**multi.col:** Object of class "logical" ~~  
**show.vol:** Object of class "logical" ~~  
**show.grid:** Object of class "logical" ~~  
**line.type:** Object of class "character" ~~  
**bar.type:** Object of class "character" ~~  
**xlab:** Object of class "character" ~~  
**ylab:** Object of class "character" ~~  
**spacing:** Object of class "numeric" ~~  
**width:** Object of class "numeric" ~~  
**bp:** Object of class "numeric" ~~  
**x.labels:** Object of class "character" ~~  
**colors:** Object of class "ANY" ~~  
**layout:** Object of class "ANY" ~~  
**time.scale:** Object of class "ANY" ~~  
**major.ticks:** Object of class "ANY" ~~  
**minor.ticks:** Object of class "logical" ~~

**Methods**

No methods defined with class "chob" in the signature.

**Author(s)**

Jeffrey A. Ryan

**See Also**

[chartSeries](#), or [chobTA](#) for links to other classes

**Examples**

```
showClass("chob")
```

---

chobTA-class	<i>A Technical Analysis Chart Object</i>
--------------	--

---

**Description**

Internal storage class for handling arbitrary TA objects

**Objects from the Class**

Objects of class chobTA are created and returned invisibly through calls to addTA-style functions.

**Slots**

```
call: Object of class "call" ~~
on: Object of class "ANY" ~~
new: Object of class "logical" ~~
TA.values: Object of class "ANY" ~~
name: Object of class "character" ~~
params: Object of class "ANY" ~~
```

**Methods**

```
show signature(object = "chobTA"):...
```

**Note**

It is of no external vaule to handle chobTA objects directly

**Author(s)**

Jeffrey A. Ryan

**See Also**

[addTA](#), [~~~](#) or [chob](#) for links to other classes

**Examples**

```
showClass("chobTA")
```

---

create.binding      *Create DDB Bindings*

---

**Description**

Internal function used in `attachSymbols` to create active bindings for symbols defined in a DDB object.

**Usage**

```
create.binding(s,
              lsym,
              rsym,
              gsrc,
              mem.cache = TRUE,
              file.cache = !mem.cache,
              cache.dir = tempdir(),
              envir, ...)
```

**Arguments**

<code>s</code>	symbol name
<code>lsym</code>	function to convert to local name (legal R name)
<code>rsym</code>	function to convert to remote name (source name)
<code>gsrc</code>	corresponds to 'src' arg in <code>getSymbols</code> call
<code>mem.cache</code>	cache to memory
<code>file.cache</code>	cache to disk
<code>cache.dir</code>	directory to cache to/from
<code>envir</code>	environment name (character)
<code>...</code>	arguments to pass to <code>getSymbols</code> call

**Details**

Low level function to create bindings during initial demand-database construction.

**Value**

Called for its side effect of creating active bindings to symbols.

**Note**

This is code used internally by attachSymbols. User's may modify this to accomodate different systems. The upstream functions needn't maintain consistency with this interface.

Use as a guide or template.

**Author(s)**

Jeffrey A. Ryan

**References**

Mark, Roger, ?

---

Delt

*Calculate Percent Change*


---

**Description**

Calculate the k-period percent difference within one series, or between two series. Primarily used to calculate the percent change from one period to another of a given series, or to calculate the percent difference between two series over the full series.

**Usage**

```
Delt(x1, x2 = NULL, k = 0, type = c("arithmetic", "log"))
```

**Arguments**

x1	<i>m x 1</i> vector
x2	<i>m x 1</i> vector
k	change over k-periods. default k=1 when x2 is NULL.
type	type of difference. log or arithmetic (defaulty).

**Details**

When called with only x1, the one period percent change of the series is returned by default. Internally this happens by copying x1 to x2. A two period difference would be specified with k=2.

If called with both x1 and x2, the difference between the two is returned. That is, k=0. A one period difference would be specified by k=1. k may also be a vector to calculate more than one period at a time. The results will then be an m x length(k)

Log differences are used by default:  $\text{Lag} = \log(x2(t)/x1(t-k))$

Arithmetic differences are calculated:  $\text{Lag} = (x2(t) - x1(t-k))/x1(t-k)$

**Value**

An matrix of length(x1) rows and length(k) columns.

**Author(s)**

Jeffrey A. Ryan

**See Also**

[OpOp OpCl](#)

**Examples**

```

Stock.Open <- c(102.25,102.87,102.25,100.87,103.44,103.87,103.00)
Stock.Close <- c(102.12,102.62,100.12,103.00,103.87,103.12,105.12)

Delt(Stock.Open)                #one period pct. price change
Delt(Stock.Open,k=1)            #same
Delt(Stock.Open,type='arithmetic') #using arithmetic differences

Delt(Stock.Open,Stock.Close)    #Open to Close pct. change
Delt(Stock.Open,Stock.Close,k=0:2) #...for 0,1, and 2 periods

```

---

findPeaks

*Find Peaks and Valleys In A Series*

---

**Description**

Functions to find the peaks (tops) and valleys (bottoms) of a given series.

**Usage**

```

findPeaks(x, thresh=0)
findValleys(x, thresh=0)

```

**Arguments**

x	a time series or vector
thresh	minimum peak/valley threshold

**Value**

A vector of integers corresponding to peaks/valleys.

As a peak[valley] is defined as the highest[lowest] value in a series, the function can only define it after a change in direction has occurred. This means that the function will always return the first period *after* the peak/valley of the data, so as not to accidentally induce a look-ahead bias.

**Author(s)**

Jeffrey A. Ryan

**Examples**

```
findPeaks(sin(1:10))

p <- findPeaks(sin(seq(1,10,.1)))
sin(seq(1,10,.1))[p]

plot(sin(seq(1,10,.1))[p])
plot(sin(seq(1,10,.1)),type='l')
points(p,sin(seq(1,10,.1))[p])
```

---

fittedModel	<i>quantmod Fitted Objects</i>
-------------	--------------------------------

---

**Description**

Extract and replace fitted models from `quantmod` objects built with `buildModel`. All objects fitted through methods specified in `buildModel` calls can be extracted for further analysis.

**Usage**

```
fittedModel(object)
fittedModel(object) <- value

## S3 method for class 'quantmod':
formula(x, ...)

## S3 method for class 'quantmod':
plot(x, ...)

## S3 method for class 'quantmod':
coefficients(object, ...)

## S3 method for class 'quantmod':
coef(object, ...)

## S3 method for class 'quantmod':
residuals(object, ...)

## S3 method for class 'quantmod':
resid(object, ...)

## S3 method for class 'quantmod':
fitted.values(object, ...)

## S3 method for class 'quantmod':
fitted(object, ...)
```

```
## S3 method for class 'quantmod':  
anova(object, ...)  
  
## S3 method for class 'quantmod':  
logLik(object, ...)  
  
## S3 method for class 'quantmod':  
vcov(object, ...)
```

### Arguments

object	a quantmod object
x	a quantmod object
value	a new fitted model
...	additional arguments

### Details

Most often used to extract the final fitted object of the modelling process, usually for further analysis with tools outside the **quantmod** package.

Most common methods to apply to fitted objects are available to the parent `quantmod` object. At present, one can call directly the following S3 methods on a built model as if calling directly on the fitted object. See *\*Usage\** section.

It is also *possible* to add a fitted model to an object. This may be of value when applying heuristic rule sets for trading approaches, or when fine tuning already fit models by hand.

### Value

Returns an object matching that returned by a call to the method specified in `buildModel`.

### Note

The replacement function `fittedModel<-` is highly experimental, and may or may not continue into further releases.

The fitted model added *must* use the same names as appear in the `quantmod` object's dataset.

### Author(s)

Jeffrey A. Ryan

### See Also

[quantmod,buildModel](#)

**Examples**

```
## Not run:
x <- specifyModel(Next(OpCl(DIA)) ~ OpCl(VIX))
x.lm <- buildModel(x,method='lm',training.per=c('2001-01-01','2001-04-01'))

fittedModel(x.lm)

coef(fittedModel(x.lm))
coef(x.lm) # same

vcov(fittedModel(x.lm))
vcov(x.lm) # same
## End(Not run)
```

---

getDividends	<i>Load Financial Dividend Data</i>
--------------	-------------------------------------

---

**Description**

Download, or download and append stock dividend data from Yahoo! Finance.

**Usage**

```
getDividends(Symbol,
             from = "1970-01-01",
             to = Sys.Date(),
             env = .GlobalEnv,
             src = "yahoo",
             auto.assign = FALSE,
             auto.update = FALSE,
             verbose = FALSE, ...)
```

**Arguments**

Symbol	The Yahoo! stock symbol
from	date from in CCYY-MM-DD format
to	date to in CCYY-MM-DD format
env	where to create object
src	data source (only yahoo is valid at present)
auto.assign	should results be loaded to env
auto.update	automatically add dividend to data object
verbose	display status of retrieval
...	currently unused

**Details**

Eventually destined to be a wrapper function along the lines of `getSymbols` to different sources - this currently only support Yahoo data.

**Value**

If `auto.assign` is TRUE, the symbol will be written to the environment specified in `env` with a `.div` appended to the name.

If `auto.update` is TRUE and the object is of class `xts`, the dividends will be included as an attribute of the original object and be reassigned to the environment specified by `env`.

All other cases will return the dividend data as an `xts` object.

**Note**

This function is very preliminary - and will most likely change significantly in the future.

**Author(s)**

Jeffrey A. Ryan

**References**

Yahoo! Finance: <http://finance.yahoo.com>

**See Also**

[getSymbols](#)

**Examples**

```
## Not run:
getSymbols("MSFT")
getDividends("MSFT")

getDividends(MSFT)
## End(Not run)
```

---

getFinancials

*Download and View Financial Statements*

---

**Description**

Download Income Statement, Balance Sheet, and Cash Flow Statements from Google Finance.

**Usage**

```
getFinancials(Symbol, env = .GlobalEnv, src = "google",
              auto.assign = TRUE,
              ...)

viewFinancials(x, type=c('BS','IS','CF'), period=c('A','Q'),
              subset = NULL)
```

**Arguments**

Symbol	a valid google symbol
env	where to create the object
src	currently unused
auto.assign	should results be loaded to the environment
...	currently unused
x	an object of class financials
type	type of statement to view
period	period of statement to view
subset	'xts' style subset string

**Details**

A utility to download financial statements for publically traded companies. The data is directly from Google finance. All use of the data is under there Terms of Service, available at <http://www.google.com/accounts/TOS>.

Individual statements can be accessed using standard R list extraction tools, or by using `viewFinancials`.

`viewFinancials` allows for the use of date subsetting as available in the `xts` package, as well as the specification of the type of statement to view. BS for balance sheet, IS for income statement, and CF for cash flow statement. The period argument is used to identify which statements to view - (A) for annual and (Q) for quarterly.

**Value**

Six individual matrices organized in a list of class 'financials':

IS	a list containing (Q)uarterly and (A)nnual Income Statements
BS	a list containing (Q)uarterly and (A)nnual Balance Sheets
CF	a list containing (Q)uarterly and (A)nnual Cash Flow Statements

**Note**

As with all free data, you may be getting exactly what you pay for.

**Author(s)**

Jeffrey A. Ryan

## References

Google Finance BETA: <http://finance.google.com/finance>

## Examples

```
## Not run:
getFinancials('JAVA') # returns JAVA.f to "env"
getFin('AAPL') # returns AAPL.f to "env"

viewFin(JAVA.f, "IS", "Q") # Quarterly Income Statement
viewFin(AAPL.f, "CF", "A") # Annual Cash Flows

str(AAPL.f)
## End(Not run)
```

---

getFX *Download Exchange Rates*

---

## Description

Download exchange rates or metals prices from oanda.

## Usage

```
getFX(Currencies,
      from = Sys.Date() - 500,
      to = Sys.Date(),
      env = .GlobalEnv,
      verbose = FALSE,
      warning = TRUE,
      auto.assign = TRUE, ...)
```

## Arguments

Currencies	Currency pairs expressed as 'CUR/CUR'
from	start date expressed in ISO CCYY-MM-DD format
to	end date expressed in ISO CCYY-MM-DD format
env	which environment should they be loaded into
verbose	be verbose
warning	show warnings
auto.assign	use auto.assign
...	additional parameters to be passed to getSymbols.oanda method

## Details

A convenience wrapper to `getSymbols(x, src='oanda')`. See `getSymbols` and `getSymbols.oanda` for more detail.

**Value**

The results of the call will be the data will be assigned automatically to the environment specified (global by default). Additionally a vector of downloaded symbol names will be returned.

See `getSymbols` and `getSymbols.oanda` for more detail.

**Author(s)**

Jeffrey A. Ryan

**References**

Oanda.com <http://www.oanda.com>

**See Also**

[getSymbols](#), [getSymbols.oanda](#)

**Examples**

```
## Not run:  
  
getFX("USD/JPY")  
  
getFX("EUR/USD", from="2005-01-01")  
## End(Not run)
```

---

getMetals

*Download Daily Metals Prices*

---

**Description**

Download daily metals prices from oanda.

**Usage**

```
getMetals(Metals,  
          from = Sys.Date() - 500,  
          to = Sys.Date(),  
          base.currency="USD",  
          env = .GlobalEnv,  
          verbose = FALSE,  
          warning = TRUE,  
          auto.assign = TRUE, ...)
```

**Arguments**

Metals	metals expressed in common name or symbol form
from	start date expressed in ISO CCYY-MM-DD format
to	end date expressed in ISO CCYY-MM-DD format
base.currency	which currency should the price be in
env	which environment should they be loaded into
verbose	be verbose
warning	show warnings
auto.assign	use auto.assign
...	additional parameters to be passed to getSymbols.oanda method

**Details**

A convenience wrapper to `getSymbols(x, src='oanda')`.

The most useful aspect of `getMetals` is the ability to specify the Metals in terms of underlying 3 character symbol or by name (e.g. XAU (gold), XAG (silver), XPD (palladium), or XPT (platinum)).

There are unique aspects of any continuously traded commodity, and it is recommended that the user visit <http://www.oanda.com> for details on specific pricing issues.

See `getSymbols` and `getSymbols.oanda` for more detail.

**Value**

Data will be assigned automatically to the environment specified (global by default). If `auto.assign` is set to `FALSE`, the data from a single metal request will simply be returned from the function call.

If `auto.assign` is used (the default) a vector of downloaded symbol names will be returned.

See `getSymbols` and `getSymbols.oanda` for more detail.

**Author(s)**

Jeffrey A. Ryan

**References**

Oanda.com <http://www.oanda.com>

**See Also**

[getSymbols](#), [getSymbols.oanda](#)

**Examples**

```
## Not run:

getFX(c("gold", "XPD"))

getFX("plat", from="2005-01-01")
## End(Not run)
```

---

getModelData	<i>Update model's dataset</i>
--------------	-------------------------------

---

**Description**

Update currently specified or built model with most recent data.

**Usage**

```
getModelData(x, na.rm = TRUE)
```

**Arguments**

x	An object of class <code>quantmod</code>
na.rm	Boolean. Remove NA values. Defaults to TRUE

**Details**

Primarily used within specify model calls, `getModelData` is used to retrieve the appropriate underlying variables, and apply model specified transformations automatically. It can be used to also update a current model in memory with the most recent data.

**Value**

Returns object of class `quantmod.OHLC`

**Author(s)**

Jeffrey Ryan

**See Also**

[getSymbols](#) load data [specifyModel](#) create model structure [buildModel](#) construct model  
[modelData](#) extract model dataset

**Examples**

```
## Not run:
my.model <- specifyModel(Next(OpCl(QQQQ)) ~ Lag(Cl(NDX), 0:5))
getModelData(my.model)
## End(Not run)
```

---

getOptionChain      *Download Option Chains*

---

### Description

Function to download option chain data from data providers.

### Usage

```
getOptionChain(Symbols, Exp = "2009-05", src="yahoo", ...)
```

### Arguments

Symbols	The name of the underlying symbol
Exp	One or more expiration dates
src	Source
...	additional parameters

### Details

This function is a wrapper to data-provider specific APIs. By default the data is sourced from yahoo.

### Value

A named list containing two data.frames, one for calls and one for puts. If more than one expiration was requested, this two-element list will be contained within list of length `length(Exp)`. Each element of this list will be named with the expiration month and year (for Yahoo sourced data).

If `Exp` is set to `NULL`, all expirations will be returned.

### Author(s)

Jeffrey A. Ryan

### References

<http://finance.yahoo.com>

### Examples

```
## Not run:  
AAPL.OPT <- getOptionChain("AAPL")  
AAPL.OPTS <- getOptionChain("AAPL", NULL)  
## End(Not run)
```

---

getQuote

*Download Current Stock Quote*


---

### Description

Fetch current stock quote(s) from specified source. At present this only handle sourcing quotes from Yahoo Finance, but it will be extended to additional sources over time.

### Usage

```
getQuote(Symbols, src = "yahoo", what = standardQuote(), ...)
```

```
standardQuote(src="yahoo")
yahooQF(names)
yahooQuote.EOD
```

### Arguments

Symbols	character string of symbols, seperated by semi-colons
src	source of data (only yahoo is implemented)
what	what should be retrieved
names	which data should be retrieved
...	currently unused

### Value

A maximum of 200 symbols may be requested per call to Yahoo!, and all requested will be returned in one data.frame object. If more that 200 symbols are requested, multiple 200 symbol calls will be made and the results will be returned as one data object.

getQuote returns a data frame with rows matching the number of Symbols requested, and the columns matching the requested columns.

The what argument allows for specific data to be requested from yahoo, using Yahoo!'s formatting string. A list and interactive selection tool can be seen with yahooQF.

standardQuote currently only applied to Yahoo! data, and returns an object of class quoteFormat, for use within the getQuote function.

yahooQuote.EOD is a constant that returns OHLCV data

### Author(s)

Jeffrey A. Ryan

### References

Yahoo! Finance [finance.yahoo.com](http://finance.yahoo.com) [gummy-stuff.org](http://gummy-stuff.org) [www.gummy-stuff.org/Yahoo-data.htm](http://www.gummy-stuff.org/Yahoo-data.htm)

**See Also**[getSymbols](#)**Examples**

```

yahooQuote.EOD
## Not run:
getQuote("AAPL")
getQuote("QQQQ;SPY;^VXN",what=yahooQF(c("Bid","Ask")))
standardQuote()
yahooQF()
## End(Not run)

```

---

`getSplits`*Load Financial Split Data*

---

**Description**

Download, or download and append stock split data from Yahoo! Finance.

**Usage**

```

getSplits(Symbol,
           from = "1970-01-01",
           to = Sys.Date(),
           env = .GlobalEnv,
           src = "yahoo",
           auto.assign = FALSE,
           auto.update = FALSE,
           verbose = FALSE, ...)

```

**Arguments**

<code>Symbol</code>	The Yahoo! stock symbol
<code>from</code>	date from in CCYY-MM-DD format
<code>to</code>	date to in CCYY-MM-DD format
<code>env</code>	where to create object
<code>src</code>	data source (only yahoo is valid at present)
<code>auto.assign</code>	should results be loaded to env
<code>auto.update</code>	automatically add split to data object
<code>verbose</code>	display status of retrieval
<code>...</code>	currently unused

## Details

Eventually destined to be a wrapper function along the lines of `getSymbols` to different sources - this currently only support Yahoo data.

## Value

If `auto.assign` is `TRUE`, the symbol will be written to the environment specified in `env` with a `.div` appended to the name.

If `auto.update` is `TRUE` and the object is of class `xts`, the dividends will be included as an attribute of the original object and be reassigned to the environment specified by `env`.

All other cases will return the split data as an `xts` object. `NA` is returned if there is no split data.

## Note

This function is very preliminary - and will most likely change significantly in the future.

## Author(s)

Josh Ulrich

## References

Yahoo! Finance: <http://finance.yahoo.com>

## See Also

[getSymbols](#), [getDividends](#)

## Examples

```
## Not run:
getSymbols("MSFT")
getSplits("MSFT")

getSplits(MSFT)
## End(Not run)
```

---

getSymbols

*Load and Manage Data from Multiple Sources*

---

## Description

Functions to load and manage `Symbols` in specified environment. Used by `specifyModel` to retrieve symbols specified in first step of modelling procedure. Not a true S3 method, but methods for different data sources follow an S3-like naming convention. Additional methods can be added by simply adhering to the convention.

Current `src` methods available are: yahoo, google, MySQL, FRED, csv, RData, and oanda.

Data is loaded silently *without* user assignment by default.

**Usage**

```

getSymbols(Symbols = NULL,
           env = .GlobalEnv,
           reload.Symbols = FALSE,
           verbose = FALSE,
           warnings = TRUE,
           src = "yahoo",
           symbol.lookup = TRUE,
           auto.assign = TRUE,
           ...)

loadSymbols(Symbols = NULL,
            env = .GlobalEnv,
            reload.Symbols = FALSE,
            verbose = FALSE,
            warnings = TRUE,
            src = "yahoo",
            symbol.lookup = TRUE,
            auto.assign = TRUE,
            ...)

showSymbols(env=.GlobalEnv)
removeSymbols(Symbols=NULL,env=.GlobalEnv)
saveSymbols(Symbols = NULL,
            file.path=stop("must specify 'file.path'"),
            env = .GlobalEnv)

```

**Arguments**

Symbols	a character vector specifying the names of each symbol to be loaded
env	where to create objects. (new.env())
reload.Symbols	boolean to reload current symbols in specified environment. (FALSE)
verbose	boolean to turn on status of retrieval. (FALSE)
warnings	boolean to turn on warnings. (TRUE)
src	character string specifying sourcing method. (yahoo)
symbol.lookup	retrieve symbol's sourcing method from external lookup (TRUE)
auto.assign	should results be loaded to the environment
file.path	character string of file location
...	additional parameters

**Details**

getSymbols is a wrapper to load data from different sources - be them local or remote. Data is fetched through one of the available getSymbols methods and saved in the env specified -

the `.GlobalEnv` by default. Data is loaded in much the same way that `load` behaves. By default, it is assigned automatically to a variable in the specified environment, *without* the user explicitly assigning the returned data to a variable.

The previous sentence's point warrants repeating - `getSymbols` is called for its side effects, and *does not* return the data object loaded. The data is 'loaded' silently by the function into a new environment by default - or the environment specified. This behavior can be overridden by setting `auto.assign` to `FALSE`, though it is not advised.

Previous versions of `getSymbols` assigned each object into the user's `.GlobalEnv` by name. This behavior is now supported by setting `env=.GlobalEnv` (the current transitional default), or by using the wrapper `loadSymbols`. Many thanks to Kurt Hornik and Achim Zeileis for suggesting this change.

By default the variable chosen is an R-legal name derived from the symbol being loaded. It is possible, using `setSymbolLookup` to specify an alternate name if the default is not desired, see that function for details.

The result of a call to `getSymbols` when `auto.assign` is set to `TRUE` (the default) is a new object or objects in the user's specified environment - with the loaded symbol(s) names returned upon exit if that environment is the `.GlobalEnv`.

By default, a new environment is returned which contains all the objects loaded into it.

If `auto.assign` is set to `FALSE` the data will be returned from the call, and will require the user to assign the results himself.

Most, if not all, documentation and functionality in **quantmod** assumes that `auto.assign` remains set to `TRUE`.

Upon completion a list of loaded symbols is stored in the global environment under the name `.getSymbols`.

Objects loaded by `getSymbols` with `auto.assign=TRUE` can be viewed with `showSymbols` and removed by a call to `removeSymbols`. Additional data loading "methods" can be created simply by following the S3-like naming convention where `getSymbols.NAME` is used for your function NAME. See `getSymbols` source code.

`setDefault(getSymbols)` can be used to specify defaults for `getSymbols` arguments. `setDefault(getSymbols.MySQL)` may be used for arguments specific to `getSymbols.MySQL`, etc.

The "sourcing" of data is managed internally through a complex lookup procedure. If `symbol.lookup` is `TRUE` (the default), a check is made if any symbol has had its source specified by `setSymbolLookup`.

If not set, the process continues by checking to see if `src` has been specified by the user in the function call. If not, any `src` defined with `setDefault(getSymbols, src=)` is used.

Finally, if none of the other source rules apply the default `getSymbols src` method is used ('yahoo').

## Value

A call to `getSymbols` will load into the specified environment one object for each `Symbol` specified, with class defined by `return.class`. Presently this may be `ts`, `its`, `zoo`, `xts`, or `timeSeries`.

If `auto.assign` is set to `FALSE` an object of type `return.class` will be returned.

**Note**

While it is possible to load symbols as classes other than `ZOO`, **quantmod** requires most, if not all, data to be of class `ZOO` or inherited from `ZOO` - e.g. `xts`. The additional methods are meant mainly to be of use for those using the functionality outside of the **quantmod** workflow.

**Author(s)**

Jeffrey A. Ryan

**See Also**

[getModelData](#), [specifyModel](#), [setSymbolLookup](#), [getSymbols.csv](#), [getSymbols.RData](#), [getSymbols.oanda](#), [getSymbols.yahoo](#), [getSymbols.google](#), [getSymbols.FRED](#), [getFX](#), [getMetals](#),

**Examples**

```
## Not run:
setSymbolLookup(QQQQ='yahoo',SPY='MySQL')

getSymbols(c('QQQQ','SPY'))
# loads QQQQ from yahoo (set with setSymbolLookup)
# loads SPY from MySQL (set with setSymbolLookup)

getSymbols('F')
# loads Ford market data from yahoo (the formal default)

setDefault(getSymbols,verbose=TRUE,src='MySQL')
getSymbols('DIA')
# loads symbol from MySQL database (set with setDefaults)

getSymbols('F',src='yahoo',return.class='ts')
# loads Ford as time series class ts

## End(Not run)
```

---

getSymbols.csv

*Load Data from csv File*

---

**Description**

Downloads Symbols to specified `env` from local comma seperated file. This method is not to be called directly, instead a call to `getSymbols(Symbols,src='csv')` will in turn call this method. It is documented for the sole purpose of highlighting the arguments accepted, and to serve as a guide to creating additional `getSymbols` 'methods'.

**Usage**

```
getSymbols.csv(Symbols,  
               env,  
               dir="",  
               return.class = "xts",  
               extension="csv",  
               ...)
```

**Arguments**

<code>Symbols</code>	a character vector specifying the names of each symbol to be loaded
<code>env</code>	where to create objects. (.GlobalEnv)
<code>dir</code>	directory of csv file
<code>return.class</code>	class of returned object
<code>extension</code>	extension of csv file
<code>...</code>	additional parameters

**Details**

Meant to be called internally by `getSymbols` (see also).

One of a few currently defined methods for loading data for use with **quantmod**. Essentially a simple wrapper to the underlying R `read.csv`.

**Value**

A call to `getSymbols.csv` will load into the specified environment one object for each `Symbol` specified, with class defined by `return.class`. Presently this may be `ts`, `its`, `zoo`, `xts`, or `timeSeries`.

**Note**

This has yet to be tested on a windows platform. It *should* work though file separators may be an issue.

**Author(s)**

Jeffrey A. Ryan

**See Also**

[getSymbols](#), [read.csv](#), [setSymbolLookup](#)

**Examples**

```
## Not run:
# All 3 getSymbols calls return the same
# MSFT to the global environment
# The last example is what NOT to do!

## Method #1
getSymbols('MSFT', src='csv')

## Method #2
setDefault(getSymbols, src='csv')
# OR
setSymbolLookup(MSFT='csv')

getSymbols('MSFT')

#####
## NOT RECOMMENDED!!!
#####
## Method #3
getSymbols.csv('MSFT', verbose=TRUE, env=globalenv())
## End(Not run)
```

---

getSymbols.FRED      *Download Federal Reserve Economic Data - FRED(R)*

---

**Description**

R access to over 11,000 data series accessible via the St. Louis Federal Reserve Bank's FRED system.

Downloads Symbols to specified env from 'research.stlouisfed.org'. This method is not to be called directly, instead a call to `getSymbols(Symbols, src='FRED')` will in turn call this method. It is documented for the sole purpose of highlighting the arguments accepted, and to serve as a guide to creating additional getSymbols 'methods'.

**Usage**

```
getSymbols.FRED(Symbols,
                env,
                return.class = "xts",
                ...)
```

**Arguments**

Symbols	a character vector specifying the names of each symbol to be loaded
env	where to create objects. (.GlobalEnv)
return.class	class of returned object
...	additional parameters

**Details**

Meant to be called internally by `getSymbols` (see also).

One of many methods for loading data for use with **quantmod**. Essentially a simple wrapper to the underlying FRED data download site.

Naming conventions must follow those as seen on the Federal Reserve Bank of St Louis's website for FRED. A lookup facility will hopefully be incorporated into **quantmod** in the near future.

**Value**

A call to `getSymbols.FRED` will load into the specified environment one object for each `Symbol` specified, with class defined by `return.class`. Presently this may be `ts`, `its`, `zoo`, `xts`, or `timeSeries`.

**Author(s)**

Jeffrey A. Ryan

**References**

St. Louis Fed: Economic Data - FRED <http://research.stlouisfed.org/fred2/>

**See Also**

[getSymbols](#), [setSymbolLookup](#)

**Examples**

```
## Not run:
# All 3 getSymbols calls return the same
# CPI data to the global environment
# The last example is what NOT to do!

## Method #1
getSymbols('CPIAUCNS',src='FRED')

## Method #2
setDefault(getSymbols,src='FRED')
# OR
setSymbolLookup(CPIAUCNS='FRED')

getSymbols('CPIAUCNS')

#####
## NOT RECOMMENDED!!!
#####
## Method #3
getSymbols.FRED('CPIAUCNS',env=globalenv())
## End(Not run)
```

---

getSymbols.google *Download OHLC Data From Google Finance*

---

## Description

Downloads Symbols to specified env from 'finance.google.com'. This method is not to be called directly, instead a call to `getSymbols(Symbols, src='google')` will in turn call this method. It is documented for the sole purpose of highlighting the arguments accepted, and to serve as a guide to creating additional getSymbols 'methods'.

## Usage

```
getSymbols.google(Symbols,
                  env,
                  return.class = 'xts',
                  from = "2007-01-01",
                  to = Sys.Date(),
                  ...)
```

## Arguments

Symbols	a character vector specifying the names of each symbol to be loaded
env	where to create objects. (.GlobalEnv)
return.class	class of returned object
from	Retrieve no earlier than this date
to	Retrieve though this date
...	additional parameters

## Details

Meant to be called internally by `getSymbols` (see also).

One of a few currently defined methods for loading data for use with **quantmod**. Essentially a simple wrapper to the underlying Google Finance site for historical data.

A word of warning. Google is the home of *BETA*, and historic data is no exception. There is a *BUG* in practically all series that include the dates Dec 29,30, and 31 of 2003. The data will show the wrong date and corresponding prices. This essentially makes it useless, but if they ever apply a fix the data is nice(r) than Yahoo, in so much as it is all split adjusted and there is forty years worth to be had. As long as you skip the holiday week of 2003. :)

## Value

A call to `getSymbols.google` will load into the specified environment one object for each Symbol specified, with class defined by `return.class`. Presently this may be `ts`, `its`, `zoo`, `xts`, or `timeSeries`.

**Note**

As mentioned in the details section, a serious flaw exists within the google database/SQL. A caution is issued when retrieving data via this method if this particular error is encountered, but one can only wonder what else may be wrong. Caveat emptor.

**Author(s)**

Jeffrey A. Ryan

**References**

Google Finance: <http://finance.google.com>

**See Also**

[getSymbols](#), [setSymbolLookup](#)

**Examples**

```
## Not run:
# All 3 getSymbols calls return the same
# MSFT to the global environment
# The last example is what NOT to do!

## Method #1
getSymbols('MSFT',src='google')

## Method #2
setDefault(getSymbols,src='google')
# OR
setSymbolLookup(MSFT='google')

getSymbols('MSFT')

#####
## NOT RECOMMENDED!!!
#####
## Method #3
getSymbols.google('MSFT',verbose=TRUE,env=globalenv())
## End(Not run)
```

---

getSymbols.MySQL *Retrieve Data from MySQL Database*

---

**Description**

Fetch data from MySQL database. As with other methods extending the `getSymbols` function, this should *NOT* be called directly. Its documentation is meant to highlight the formal arguments, as well as provide a reference for further user contributed data tools.

**Usage**

```
getSymbols.MySQL(Symbols,
                 env,
                 return.class = 'xts',
                 db.fields = c("date", "o", "h", "l", "c", "v", "a"),
                 field.names = NULL,
                 user = NULL,
                 password = NULL,
                 dbname = NULL,
                 ...)
```

**Arguments**

<code>Symbols</code>	a character vector specifying the names of each symbol to be loaded
<code>env</code>	where to create objects. ( <code>GlobalEnv</code> )
<code>return.class</code>	desired class of returned object. Can be <code>xts</code> , <code>zoo</code> , <code>data.frame</code> , <code>ts</code> , or <code>its</code> . ( <code>zoo</code> )
<code>db.fields</code>	character vector indicating names of fields to retrieve
<code>field.names</code>	names to assign to returned columns
<code>user</code>	username to access database
<code>password</code>	password to access database
<code>dbname</code>	database name
<code>...</code>	currently not used

**Details**

Meant to be called internally by `getSymbols` (see also)

One of a few currently defined methods for loading data for use with **quantmod**. Its use requires the packages **DBI** and **MySQL**, along with a running MySQL database with tables corresponding to the `Symbol` name.

The purpose of this abstraction is to make transparent the ‘source’ of the data, allowing instead the user to concentrate on the data itself.

**Value**

A call to `getSymbols.MySQL` will load into the specified environment one object for each `Symbol` specified, with class defined by `return.class`.

**Note**

The default configuration needs a table named for the `Symbol` specified (e.g. `MSFT`), with column names `date,o,h,l,c,v,a`. For table layout changes it is best to use `setDefault(s(getSymbols.MySQL, ...))` with the new `db.fields` values specified.

**Author(s)**

Jeffrey A. Ryan

**References**

MySQL AB <http://www.mysql.com>  
 David A. James and Saikat DebRoy (2006). *R Interface to the MySQL database*. [www.omegahat.org](http://www.omegahat.org)  
 R-SIG-DB. *DBI: R Database Interface*

**See Also**

[getSymbols](#), [setSymbolLookup](#)

**Examples**

```
## Not run:
# All 3 getSymbols calls return the same
# MSFT to the global environment
# The last example is what NOT to do!

setDefaultsWith(getSymbols.MySQL, user='jdoe', password='secret',
                dbname='tradedata')

## Method #1
getSymbols('MSFT', src='MySQL')

## Method #2
setDefaultsWith(getSymbols, src='MySQL')
# OR
setSymbolLookup('MSFT', src='MySQL')

getSymbols('MSFT')

#####
## NOT RECOMMENDED!!!
#####
## Method #3
getSymbols.MySQL('MSFT', env=globalenv())
## End(Not run)
```

---

`getSymbols.oanda` *Download Currency and Metals Data from Oanda.com*

---

**Description**

Access to 191 currency and metal prices, downloadable as more than 36000 currency pairs from Oanda.com.

Downloads Symbols to specified env from [www.oanda.com](http://www.oanda.com) historical currency database. This method is not meant to be called directly, instead a call to `getSymbols("x", src="oanda")` will in turn call this method. It is documented for the sole purpose of highlighting the arguments accepted, and to serve as a guide to creating additional `getSymbols` 'methods'.

## Usage

```
getSymbols.oanda(Symbols,  
                 env,  
                 return.class = "xts",  
                 from = Sys.Date() - 499,  
                 to = Sys.Date(),  
                 ...)
```

## Arguments

<code>Symbols</code>	a character vector specifying the names of each symbol to be loaded - expressed as a currency pair. (e.g. U.S. Dollar to Euro rate would be expressed as a string "USD/EUR". The naming convention follows from Oanda.com, and a table of possible values is available by calling <code>oanda.currencies</code>
<code>env</code>	where to create objects.
<code>return.class</code>	class of returned object
<code>from</code>	Start of series expressed as "CCYY-MM-DD"
<code>to</code>	Start of series expressed as "CCYY-MM-DD"
<code>...</code>	additional parameters

## Details

Meant to be called internally by `getSymbols` only.

Oanda data is 7 day daily average price data, that is Monday through Sunday. There is a limit of 500 days per request, and `getSymbols` will fail with a warning that the limit has been exceeded.

## Value

A call to `getSymbols(Symbols,src="oanda")` will load into the specified environment one object for each 'Symbol' specified, with class defined by 'return.class'. Presently this may be 'ts', 'its', 'zoo', 'xts', or 'timeSeries'.

## Note

Oanda rates are quoted as one unit of base currency to the equivalent amount of foreign currency.

## Author(s)

Jeffrey A. Ryan

## References

Oanda.com <http://www.oanda.com>

## See Also

Currencies: [getSymbols.FRED](#), [getSymbols](#)

## Examples

```
## Not run:
getSymbols("USD/EUR", src="oanda")
getSymbols("USD/EUR", src="oanda", from="2005-01-01")
## End(Not run)
```

---

getSymbols.SQLite *Retrieve Data from SQLite Database*

---

## Description

Fetch data from SQLite database. As with other methods extending `getSymbols` this function should *NOT* be called directly.

## Usage

```
getSymbols.SQLite(Symbols,
                  env,
                  return.class = 'xts',
                  db.fields = c("row_names",
                                "Open",
                                "High",
                                "Low",
                                "Close",
                                "Volume",
                                "Adjusted"),
                  field.names = NULL,
                  dbname = NULL,
                  POSIX = TRUE,
                  ...)
```

## Arguments

<code>Symbols</code>	a character vector specifying the names of each symbol to be loaded
<code>env</code>	where to create the objects
<code>return.class</code>	desired class of returned object
<code>db.fields</code>	character vector naming fields to retrieve
<code>field.names</code>	names to assign to returned columns
<code>dbname</code>	database name
<code>POSIX</code>	are rownames numeric
<code>...</code>	additional arguments

## Details

Meant to be called internally by `getSymbols` (see also)

One of a few currently defined methods for loading data for use with 'quantmod'. Its use requires the packages 'DBI' and 'RSQLite', along with a SQLite database.

The purpose of this abstraction is to make transparent the 'source' of the data, allowing instead the user to concentrate on the data itself.

## Value

A call to `getSymbols.SQLite` will load into the specified environment one object for each 'Symbol' specified, with class defined by 'return.class'.

## Note

This function is experimental at best, and has not been thoroughly tested. Use with caution, and please report any bugs to the maintainer of quantmod.

## Author(s)

Jeffrey A. Ryan

## References

SQLite <http://www.sqlite.org>  
David A. James *RSQLite: SQLite interface for R*  
*R-SIG-DB. DBI: R Database Interface*

## See Also

[getSymbols](#)

## Examples

```
## Not run:  
getSymbols("QQQQ", src="SQLite")  
## End(Not run)
```

---

`getSymbols.yahoo` *Download OHLC Data From Yahoo Finance*

---

## Description

Downloads Symbols to specified env from 'finance.yahoo.com'. This method is not to be called directly, instead a call to `getSymbols(Symbols, src='yahoo')` will in turn call this method. It is documented for the sole purpose of highlighting the arguments accepted, and to serve as a guide to creating additional `getSymbols` 'methods'.

## Usage

```
getSymbols.yahoo(Symbols,  
                 env,  
                 return.class = 'xts',  
                 index.class = 'Date',  
                 from = "2007-01-01",  
                 to = Sys.Date(),  
                 adjust=FALSE,  
                 ...)
```

## Arguments

<code>Symbols</code>	a character vector specifying the names of each symbol to be loaded
<code>env</code>	where to create objects. (.GlobalEnv)
<code>return.class</code>	class of returned object
<code>index.class</code>	class of returned object index (xts only)
<code>from</code>	Retrieve data no earlier than this date. (2007-01-01)
<code>to</code>	Retrieve data through this date (Sys.Date())
<code>adjust</code>	Logical; if 'TRUE', the Open, High, Low, and Close prices will be adjusted for dividends and splits, and Volume will be adjusted for dividends.
<code>...</code>	additional parameters

## Details

Meant to be called internally by `getSymbols` (see also).

One of a few currently defined methods for loading data for use with **quantmod**. Essentially a simple wrapper to the underlying Yahoo! finance site's historical data download.

## Value

A call to `getSymbols.yahoo` will load into the specified environment one object for each `Symbol` specified, with class defined by `return.class`. Presently this may be `ts`, `its`, `zoo`, `xts`, or `timeSeries`.

In the case of `xts` objects, the indexing will be by `Date`. This can be altered with the `index.class` argument. See `indexClass` for more information on changing index classes.

## Author(s)

Jeffrey A. Ryan

## References

Yahoo Finance: <http://finance.yahoo.com>

## See Also

[getSymbols](#), [setSymbolLookup](#)

**Examples**

```

## Not run:
# All 3 getSymbols calls return the same
# MSFT to the global environment
# The last example is what NOT to do!

## Method #1
getSymbols('MSFT',src='yahoo')

## Method #2
setDefaults(getSymbols,src='yahoo')
# OR
setSymbolLookup(MSFT='yahoo')

getSymbols('MSFT')

#####
## NOT RECOMMENDED!!!
#####
## Method #3
getSymbols.yahoo('MSFT',env=globalenv())
## End(Not run)

```

---

has.OHLC

*Check For OHLC Data*


---

**Description**

A set of functions to check for appropriate OHLC and HLC column names within a data object, as well as the availability and position of those columns.

**Usage**

```

is.OHLC(x)
has.OHLC(x, which = FALSE)

is.HLC(x)
has.HLC(x, which = FALSE)

has.Op(x, which = FALSE)
has.Hi(x, which = FALSE)
has.Lo(x, which = FALSE)
has.Cl(x, which = FALSE)
has.Vo(x, which = FALSE)
has.Ad(x, which = FALSE)

```

**Arguments**

<code>x</code>	data object
<code>which</code>	display position of match

**Details**

Mostly used internally by **quantmod**, they can be useful for checking whether an object can be used in OHLC requiring functions like `Op`, `OpCl`, etc.

Column names must contain the full description of data, that is, Open, High, Low, Close, Volume or Adjusted. Abbreviations will return `FALSE` (or `NA` when `which=TRUE`). See [quantmod.OHLC](#) for details of **quantmod** naming conventions.

`is.OHLC` (and `is.HLC`, similarly) will only return `TRUE` if there are columns for Open, High, Low and Close. Additional columns will not affect the value.

**Value**

A logical value indicating success or failure by default.

If `which=TRUE`, a numeric value representing the column position will be returned.

`is.OHLC` and `is.HLC` return a single value of `TRUE` or `FALSE`.

**Author(s)**

Jeffrey A. Ryan

**See Also**

[quantmod.OHLC](#), [OHLC.Transformations](#)

**Examples**

```
## Not run:
getSymbols("YHOO")

is.OHLC(YHOO)
has.OHLC(YHOO)

has.Ad(YHOO)

## End(Not run)
```

---

internal-quantmod *Internal quantmod Objects*

---

**Description**

To be documented...

---

`is.quantmod`                      *Test If Object of Type quantmod*

---

**Description**

Test if object is of type `quantmod` or `quantmodResults`.

**Usage**

```
is.quantmod(x)
is.quantmodResults(x)
```

**Arguments**

`x`                      object to test

**Value**

Boolean TRUE or FALSE

**Author(s)**

Jeffrey A. Ryan

**See Also**

[specifyModel](#), [tradeModel](#)

---

`Lag`                                      *Lag a Time Series*

---

**Description**

Create a lagged series from data, with NA used to fill.

**Usage**

```
Lag(x, k = 1)

## S3 method for class 'quantmod.OHLC':
Lag(x, k = 1)

## S3 method for class 'zoo':
Lag(x, k = 1)

## S3 method for class 'data.frame':
```

```
Lag(x, k = 1)

## S3 method for class 'numeric':
Lag(x, k = 1)
```

### Arguments

x	vector or series to be lagged
k	periods to lag.

### Details

Shift series k-periods down, prepending NAs to front of series.

Specifically designed to handle `quantmod.OHLC` and `zoo` series within the `quantmod` workflow.

If no S3 method is found, a call to `lag` in **base** is made.

### Value

The original `x` prepended with `k` NAs and missing the trailing `k` values.

The returned series maintains the number of obs. of the original.

### Note

This function differs from `lag` by returning the original series modified, as opposed to simply changing the time series properties. It differs from the like named `Lag` in the **Hmisc** as it deals primarily with time-series like objects.

It is important to realize that if there is no applicable method for `Lag`, the value returned will be from `lag` in **base**. That is, coerced to `'ts'` if necessary, and subsequently shifted.

### Author(s)

Jeffrey A. Ryan

### See Also

[lag](#)

### Examples

```
Stock.Close <- c(102.12, 102.62, 100.12, 103.00, 103.87, 103.12, 105.12)
Close.Dates <- as.Date(c(10660, 10661, 10662, 10665, 10666, 10667, 10668), origin="1970-01-01")
Stock.Close <- zoo(Stock.Close, Close.Dates)

Lag(Stock.Close)           #lag by 1 period
Lag(Stock.Close, k=1)     #same
Lag(Stock.Close, k=1:3)   #lag 1, 2 and 3 periods
```

---

`modelData`*Extract Dataset Created by `specifyModel`*

---

### Description

Extract from a `quantmod` object the dataset created for use in modelling.

`specifyModel` creates a `zoo` object for use in subsequent workflow stages (`buildModel`, `tradeModel`) that combines all model inputs, from a variety of sources, into one model frame.

`modelData` returns this object.

### Usage

```
modelData(x, data.window = NULL, exclude.training = FALSE)
```

### Arguments

`x` a `quantmod` object  
`data.window` a character vector of subset start and end dates to return  
`exclude.training` remove training period

### Details

When a model is created by `specifyModel`, it is attached to the returned object. One of the slots of this S4 class is `model.data`.

### Value

an object of class `zoo` containing all transformations to data specified in `specifyModel`.

### Author(s)

Jeffrey A. Ryan

### See Also

[specifyModel](#), [getModelData](#)

### Examples

```
## Not run:  
m <- specifyModel(Next(OpCl(SPY)) ~ Cl(SPY) + OpHi(SPY) + Lag(Cl(SPY)))  
modelData(m)  
## End(Not run)
```

---

`modelSignal`*Extract Model Signal Object*

---

**Description**

Extract model signal object from `quantmodResults` object as an object of class `zoo`.

**Usage**

```
modelSignal(x)
```

**Arguments**

`x` object of class `quantmodResults`

**Details**

For use after a call to `tradeModel` to extract the generated signal of a given `quantmod` model. Normally this would not need to be called by the end user unless he was manually post processing the trade results.

**Value**

A `zoo` object indexed by signal dates.

**Author(s)**

Jeffrey A. Ryan

**See Also**

[tradeModel](#)

---

`newTA`*Create A New TA Indicator For chartSeries*

---

**Description**

Functions to assist in the creation of indicators or content to be drawn on plots produced by `chartSeries`.

**Usage**

```

addTA(ta,
      order = NULL,
      on = NA,
      legend = "auto",
      yrange = NULL,
      ...)

newTA(FUN,
      preFUN,
      postFUN,
      on = NA,
      yrange = NULL,
      legend.name,
      fdots = TRUE,
      cdots = TRUE,
      data.at = 1,
      ...)

```

**Arguments**

<code>ta</code>	data to be plotted
<code>order</code>	which should the columns (if > 1) be plotted
<code>legend</code>	what custom legend text should be added to the chart.
<code>FUN</code>	Main filter function name - as a symbol
<code>preFUN</code>	Pre-filter transformation or extraction function
<code>postFUN</code>	Post-filter transformation or extraction function
<code>on</code>	where to draw
<code>yrange</code>	length 2 vector of y-axis range
<code>legend.name</code>	optional legend heading, automatically derived otherwise
<code>fdots</code>	should any ... be included in the main filter call
<code>cdots</code>	should any ... be included in the resultant function object. <code>fdots=TRUE</code> will override this to TRUE.
<code>data.at</code>	which argument to the main filter function is for data.
<code>...</code>	any additional graphical parameters/default to be included.

**Details**

Both `addTA` and `newTA` can be used to dynamically add custom content to a displayed chart.

`addTA` takes a series of values, either in a form coercible to `xts` or of the same length as the charted series has rows, and displays the results in either a new TA sub-window, or over/underlaid on the main price chart. If the object can be coerced to `xts`, the time values present must only be within the original series time-range. Internally a merge of dates occurs and will allow for the plotting of discontinuous series.

The `order` argument allows for multiple column data to be plotted in an order that makes the most visual sense.

Specifying a `legend` will override the standard parsing of the `addTA` call to attempt a guess at a suitable title for the sub-chart. Specifying this will cause the standard last value to *not* be printed.

The `...arg` to `addTA` is used to set graphical parameters interpretable by `lines`.

`newTA` acts as more of a skeleton function, taking functions as arguments, as well as charting parameters, and returns a function that can be called in the same manner as the built-in TA tools, such as `addRSI` and `addMACD`. Essentially a dynamic code generator that allows for highly customizable chart tools with minimal (possibly zero) coding. It is also possible to modify the resultant code to further change behavior.

To create a new TA function with `newTA` certain arguments must be specified.

The `FUN` argument is a function symbol (or coercible to such) that is the primary filter to be used on the core-data of a `chartSeries` chart. This can be like most of the functions within the **TTR** package — e.g. `RSI` or `EMA`. The resultant object of the function call will be equal to calling the function on the original data passed into the `chartSeries` function that created the chart. It should be coercible to a matrix object, of one or more columns of output. By default all columns of output will be added to the chart, unless suppressed by passing the appropriately positioned `type='n'` as the `...arg`. Note that this will not suppress the labels added to the chart.

The `preFUN` argument will be called on the main chart's data prior to passing it to `FUN`. This must be a function symbol or a character string of the name function to be called.

The `postFUN` argument will be called on the resultant data returned from the `FUN` filter. This is useful for extracting the relevant data from the returned filter data. Like `preFUN` it must be a function symbol or a character string of the name of the function to be called.

The `yrange` argument is used to provide a custom scale to the y-axis. If `NULL` the min and max of the data to be plotted will be used for the y-axis range.

The `on` is used to identify which subchart to add the graphic to. By default, `on=NA` will draw the series in a new subchart below the last indicator. Setting this to either a positive or negative value will allow for the series to be super-imposed on, or under, the (sub)chart specified, respectively. A value of 1 refers to the main chart, and at present is the only location supported.

`legend.name` will change the main label for a new plot.

`fdots` and `cdots` enable inclusion or suppression of the `...` within the resulting TA code's call to `FUN`, or the argument list of the new TA function, respectively. In order to facilitate user-specified graphical parameters it is usually desirable to not impose artificial limits on the end-user with constraints on types of parameters available. By default the new TA function will include the dots argument, and the internal `FUN` call will keep all arguments, including the dots. This may pose issues if the internal function then passes those `...` arguments to a function that can't handle them.

The final argument is `data.at` which is the position in the `FUN` argument list which expects the data to be passed in at. This default to the sensible first position, though can be changed at the time of creation by setting this argument to the required value.

While the above functions are usually sufficient to construct very pleasing graphical additions to a chart, it may be necessary to modify by-hand the code produced. This can be accomplished by dumping the function to a file, or using `fix` on it during an interactive session.

Another item of note, with respect to `newTA` is the naming of the main legend label. Following `addTA` convention, the first 'add' is stripped from the function name, and the rest of the call's name

is used as the label. This can be overridden by specifying `legend.name` in the construction of the new TA call, or by passing `legend` into the new TA function. Subtle differences exist, with the former being the preferred solution.

While both functions can be used to build new indicators without any understanding of the internal `chartSeries` process, it may be beneficial in more complex cases to have a knowledge of the multi-step process involved in creating a chart via `chartSeries`.

to be added...

## Value

`addTA` will invisibly return an S4 object of class `chobTA`. If this function is called interactively, the `chobTA` object will be evaluated and added to the current chart.

`newTA` will return a function object that can either be assigned or evaluated. Evaluating this function will follow the logic of any standard `addTA`-style call, returning invisibly a `chobTA` object, or adding to the chart.

## Note

Both interfaces are meant to facilitate custom chart additions. `addTA` is for adding any arbitrary series to a chart, where-as `newTA` works with the underlying series with the main chart object. The latter also acts as a dynamic TA skeleton generation tool to help develop reusable TA generation code for use on any chart.

## Author(s)

Jeffrey A. Ryan

## See Also

[chartSeries](#), [TA](#), [chob](#), [chobTA](#)

## Examples

```
## Not run:
getSymbols('SBUX')
barChart(SBUX)
addTA(EMA(C1(SBUX)), on=1, col=6)
addTA(OpC1(SBUX), col=4, type='b', lwd=2)
# create new EMA TA function
newEMA <- newTA(EMA, C1, on=1, col=7)
newEMA()
newEMA(on=NA, col=5)
## End(Not run)
```

## Description

Create a new series with all values advanced forward one period. The value of period 1, becomes the value at period 2, value at 2 becomes the original value at 3, etc. The opposite of `Lag`. NA is used to fill.

## Usage

```
Next(x, k = 1)

## S3 method for class 'quantmod.OHLC':
Next(x, k=1)

## S3 method for class 'zoo':
Next(x, k=1)

## S3 method for class 'data.frame':
Next(x, k=1)

## S3 method for class 'numeric':
Next(x, k=1)
```

## Arguments

<code>x</code>	vector or series to be advanced
<code>k</code>	periods to advance

## Details

Shift series `k`-periods up, appending NAs to end of series.

Specifically designed to handle `quantmod.OHLC` and `zoo` series within the **quantmod** workflow.

If no S3 method is found, a call to `lag` in **base** is made, with the indexing reversed to shift the time series forward.

## Value

The original `x` appended with `k` NAs and missing the leading `k` values.

The returned series maintains the number of obs. of the original.

Unlike `Lag`, only one value for `k` is allowed.

**Note**

This function's purpose is to get the "next" value of the data you hope to forecast, e.g. a stock's closing value at  $t+1$ . Specifically to be used within the **quantmod** framework of `specifyModel`, as a functional wrapper to the LHS of the model equation.

It is not magic - and thus will not get tomorrow's values...

**Author(s)**

Jeffrey A. Ryan

**See Also**

[specifyModel](#), [Lag](#)

**Examples**

```
Stock.Close <- c(102.12,102.62,100.12,103.00,103.87,103.12,105.12)
Close.Dates <- as.Date(c(10660,10661,10662,10665,10666,10667,10668),origin="1970-01-01")
Stock.Close <- zoo(Stock.Close,Close.Dates)

Next(Stock.Close)          #one period ahead
Next(Stock.Close,k=1)      #same

merge(Next(Stock.Close),Stock.Close)

## Not run:
# a simple way to build a model of next days
# IBM close, given todays. Technically both
# methods are equal, though the former is seen
# as more intuitive...ymmv
specifyModel(Next(Cl(IBM)) ~ Cl(IBM))
specifyModel(Cl(IBM) ~ Lag(Cl(IBM)))
## End(Not run)
```

---

OHLC.Transformations

*Extract and Transform OHLC Time-Series Columns*

---

**Description**

Extract (transformed) data from a suitable OHLC object. Column names must contain the complete description - either "Open", "High", "Low", "Close", "Volume", or "Adjusted" - though may also contain additional characters. This is the default for objects returned from most `getSymbols` calls.

In the case of functions consisting of combined Op, Hi, Lo, Cl (e.g. `ClCl(x)`) the one period transformation will be applied.

For example, to return the Open to Close of a object it is possible to call `OpCl(x)`. If multiple periods are desired a call to the function `Delt` is necessary.

`seriesLo` and `seriesHi` will return the low and high, respectively, of a given series.

`seriesAccel`, `seriesDecel`, `seriesIncr`, and `seriesDecr`, return a vector of logicals indicating if the series is accelerating, decelerating, increasing, or decreasing. This is managed by `diff`, which provides NA fill and suitable re-indexing. These are here to make trade rules easier to read.

`HLC` extracts the High, Low, and Close columns. `OHLC` extracts the Open, High, Low, and Close columns.

These functions are merely to speed the model specification process. All columns may also be extracted through standard R methods.

Assignment will not work at present.

### Usage

```
Op(x)
Hi(x)
Lo(x)
Cl(x)
Vo(x)
Ad(x)
```

```
seriesHi(x)
seriesLo(x)
seriesIncr(x, thresh=0, diff.=1L)
seriesDecr(x, thresh=0, diff.=1L)
```

```
OpCl(x)
ClCl(x)
HiCl(x)
LoCl(x)
LoHi(x)
OpHi(x)
OpLo(x)
OpOp(x)
```

```
HLC(x)
OHLC(x)
```

### Arguments

<code>x</code>	A data object with columns containing data to be extracted.
<code>thresh</code>	noise threshold ( <code>seriesIncr/seriesDecr</code> )
<code>diff.</code>	differencing ( <code>seriesIncr/seriesDecr</code> )

### Details

Internally, the code uses `grep` to locate the appropriate columns. Therefore it is necessary to use inputs with column names matching the requirements in the description section, though the exact naming convention is not as important.

**Value**

Returns an object of the same class as the original series, with the appropriately column names if applicable and/or possible. The only exceptions are for `quantmod.OHLC` objects which will be returned as `zoo` objects, and calls to `seriesLo` and `seriesHi` which *may* return a numeric value instead of the original object type.

**Author(s)**

Jeffrey A. Ryan

**See Also**

[specifyModel](#)

**Examples**

```
## Not run:
getSymbols('IBM',src='yahoo')
Ad(IBM)
Cl(IBM)
ClCl(IBM)

seriesHi(IBM)
seriesHi(Lo(IBM))

removeSymbols('IBM')
## End(Not run)
```

---

options.expiry

*Calculate Contract Expirations*

---

**Description**

Return the index of the contract expiration date. The third Friday of the month for options, the last third Friday of the quarter for futures.

**Usage**

```
options.expiry(x)
futures.expiry(x)
```

**Arguments**

x                    a time-indexed zoo object

**Details**

Designed to be used within a charting context via `addExpiry`, the values returned are based on the description above. Exceptions, though rare, are not accounted for.

**Value**

A numeric vector of values to index on.

**Note**

There is currently no accounting for holidays that may interfere with the general rule. Additionally all efforts have been focused on US equity and futures markets.

**Author(s)**

Jeffrey A. Ryan

**References**

~put references to the literature/web site here ~

**See Also**

[addExpiry](#)

**Examples**

```
## Not run:
getSymbols("AAPL")

options.expiry(AAPL)
futures.expiry(AAPL)

AAPL[options.expiry(AAPL)]
## End(Not run)
```

---

periodReturn      *Calculate Periodic Returns*

---

**Description**

Given a set of prices, return periodic returns.

**Usage**

```
periodReturn(x,
             period='monthly',
             subset=NULL,
             type='arithmetic',
             leading=TRUE,
             ...)

dailyReturn(x, subset=NULL, type='arithmetic',
```

```

        leading=TRUE, ...)
weeklyReturn(x, subset=NULL, type='arithmetic',
             leading=TRUE, ...)
monthlyReturn(x, subset=NULL, type='arithmetic',
              leading=TRUE, ...)
quarterlyReturn(x, subset=NULL, type='arithmetic',
                leading=TRUE, ...)
annualReturn(x, subset=NULL, type='arithmetic',
             leading=TRUE, ...)
yearlyReturn(x, subset=NULL, type='arithmetic',
             leading=TRUE, ...)
allReturns(x, subset=NULL, type='arithmetic',
           leading=TRUE)

```

### Arguments

<code>x</code>	object of state prices, or an OHLC type object
<code>period</code>	character string indicating time period. Valid entries are ‘daily’, ‘weekly’, ‘monthly’, ‘quarterly’, ‘yearly’. All are accessible from wrapper functions described below. Defaults to monthly returns (same as <code>monthlyReturn</code> )
<code>subset</code>	an xts/ISO8601 style subset string
<code>type</code>	type of returns: arithmetic (discrete) or log (continuous)
<code>leading</code>	should incomplete leading period returns be returned
<code>...</code>	passed along to <code>to.period</code>

### Details

`periodReturn` is the underlying function for wrappers:

- `allReturns`: calculate all available return periods
- `dailyReturn`: calculate daily returns
- `weeklyReturn`: calculate weekly returns
- `monthlyReturn`: calculate monthly returns
- `quarterlyReturn`: calculate quarterly returns
- `annualReturn`: calculate annual returns

### Value

Returns object of the class that was originally passed in, with the possible exception of monthly and quarterly return indices being changed to class `yearmon` and `yearqtr` where available. This can be overridden with the `indexAt` argument passed in the `...` to the `to.period` function.

By default, if `subset` is `NULL`, the full dataset will be used.

**Note**

Attempts are made to re-convert the resultant series to its original class, if supported by the `xts` package. At present, objects inheriting from the `'ts'` class are returned as `xts` objects. This is to make the results more visually appealing and informative. All `xts` objects can be converted to class `ts` with `as.ts` if that is desirable.

The first and final row of returned object will have the period return to last date, i.e. this week/month/quarter/year return to date even if the start/end is not the start/end of the period. Leading period calculations can be suppressed by setting `leading=FALSE`.

**Author(s)**

Jeffrey A. Ryan

**See Also**

[getSymbols](#)

**Examples**

```
## Not run:
getSymbols('QQQQ',src='yahoo')
allReturns(QQQQ) # returns all periods

periodReturn(QQQQ,period='yearly',subset='2003::') # returns years 2003 to present
periodReturn(QQQQ,period='yearly',subset='2003') # returns year 2003

rm(QQQQ)
## End(Not run)
```

---

quantmod-class	<i>Class "quantmod"</i>
----------------	-------------------------

---

**Description**

Objects of class `quantmod` help to manage the process of model building within the `quantmod` package. Created automatically by a call to `specifyModel` they carry information to be used by a variety of accessor functions and methods.

**Objects from the Class**

Objects can be created by calls of the form `new("quantmod", ...)`.

Normally objects are created as a result of a call to `specifyModel`.

**Slots**

**model.id:** Object of class "character" ~~  
**model.spec:** Object of class "formula" ~~  
**model.formula:** Object of class "formula" ~~  
**model.target:** Object of class "character" ~~  
**model.inputs:** Object of class "character" ~~  
**build.inputs:** Object of class "character" ~~  
**symbols:** Object of class "character" ~~  
**product:** Object of class "character" ~~  
**price.levels:** Object of class "zoo" ~~  
**training.data:** Object of class "Date" ~~  
**build.date:** Object of class "Date" ~~  
**fitted.model:** Object of class "ANY" ~~  
**model.data:** Object of class "zoo" ~~  
**quantmod.version:** Object of class "numeric" ~~

**Methods**

No methods defined with class "quantmod" in the signature.

**Author(s)**

Jeffrey A. Ryan

**Examples**

```
showClass("quantmod")
```

---

quantmod.OHLC

*Create Open High Low Close Object*

---

**Description**

Coerce an object with the appropriate columns to class `quantmod.OHLC`, which extends `zoo`.

**Usage**

```
as.quantmod.OHLC(x,
                 col.names = c("Open", "High",
                              "Low", "Close",
                              "Volume", "Adjusted"),
                 name = NULL, ...)
```

**Arguments**

x	object of class zoo
col.names	suffix for columns
name	name to attach unique column suffixes to, defaults to the object name
...	additional arguments (unused)

**Details**

quantmod.OHLC is actually just a renaming of an object of class zoo, with the convention of NAME.Open, NAME.High, ... for the column names.

Additionally methods may be written to handle or check for the above conditions within other functions - as is the case within the **quantmod** package.

**Value**

An object of class c('quantmod.OHLC','zoo')

**Author(s)**

Jeffrey A. Ryan

**See Also**

[OHLC.Transformations](#), [getSymbols](#)

---

saveChart

*Save Chart to External File*

---

**Description**

Save selected chart to an external file.

**Usage**

```
saveChart(.type = "pdf", ..., dev = dev.cur())
```

**Arguments**

.type	type of export. See Details.
...	arguments to pass to device
dev	which device should be exported

## Details

This function wraps the base R function `pdf`, `postscript`, `png`, `jpeg`, and `bitmap`. The `.type` argument must specify which device driver is desired.

The currently active device is used if `dev` is missing. The result is an exact copy (within the device limits) of the chart specified.

The name of the resultant file is derived from the name of the chart, with the appropriate extension appended. (from `.type`). Specifying the appropriate device file/filename will override this name.

The caller may specify any parameters that are valid for the device called. Internally, effort is made to match the dimensions of the device being used to create the output file. User supplied dimensions will override this internal calculation.

## Value

A file in the current directory (default) matching the type of the output requested.

## Note

As this uses `do.call` internally to create the new output device, any device that makes use of R conventions should be acceptable as a value for `.type`

## Author(s)

Jeffrey A. Ryan

## See Also

[pdf](#) [png](#) [jpeg](#) [bitmap](#) [postscript](#)

## Examples

```
## Not run:
getSymbols("AAPL")

chartSeries(AAPL)

require(TTR)
addBBands()

saveChart('pdf')
saveChart('pdf', width=13)
## End(Not run)
```

---

```
setSymbolLookup      Manage Symbol Lookup Table
```

---

### Description

Create and manage Symbol defaults lookup table within R session for use in `getSymbols` calls.

### Usage

```
setSymbolLookup(...)  
getSymbolLookup(Symbols=NULL)  
unsetSymbolLookup(Symbols, confirm=TRUE)  
  
saveSymbolLookup(file, dir="")  
loadSymbolLookup(file, dir="")
```

### Arguments

<code>...</code>	name=value pairs for symbol defaults
<code>Symbols</code>	name of symbol(s)
<code>confirm</code>	warn before deleting lookup table
<code>file</code>	filename
<code>dir</code>	directory of filename

### Details

Use of these functions allows the user to specify a set of default parameters for each `Symbol` to be loaded.

Different sources (e.g. yahoo, MySQL, csv), can be specified for each `Symbol` of interest. The sources must be *valid* `getSymbols` methods - see `getSymbols` for details on which methods are available, as well as how to add additional methods.

The argument list to `setSymbolLookup` is simply the unquoted name of the `Symbol` matched to the desired default source, or list of `Symbol` specific parameters.

For example, to signify that the stock data for Sun Microsystems (JAVA) should be downloaded from Yahoo! Finance, one would call `setSymbolLookup(JAVA='yahoo')` or `setSymbolLookup(JAVA=list(s`

It is also possible to specify additional, possibly source specific, lookup details on a per symbol basis. These include an alternate naming convention (useful for sites like Yahoo! where certain non-traded symbols are prepended with a caret, or more correctly a circumflex accent. In that case one would specify `setSymbolLookup(DJI=list(name="^DJI", src="yahoo"))` as well as passed parameters like `dbname` and `password` for database sources. See the specific `getSymbols` function related to the source in question for more details of each implementation.

All changes are made to the current list, and will persist *only* until the end of the session. To *always* use the same defaults it is necessary to call `setSymbolLookup` with the appropriate parameters from a startup file (e.g. `.Rprofile`) or to use `saveSymbolLookup` and `loadSymbolLookup` to save and restore lookup tables.

To unset a specific Symbol's defaults, simply assign NULL to the Symbol.

### Value

Called for its side effects, the function changes the `options` value for the specified Symbol through a call to `options(getSymbols.sources=...)`

### Note

Changes are *NOT* persistent across sessions, as the table is stored in the session options by default.

This *may* change to allow for an easier to manage process, as for now it is designed to minimize the clutter created during a typical session.

### Author(s)

Jeffrey A. Ryan

### See Also

[getSymbols](#), [options](#),

### Examples

```
setSymbolLookup(QQQQ='yahoo',DIA='MySQL')
getSymbolLookup('QQQQ')
getSymbolLookup(c('QQQQ','DIA'))

## Not run:
## Will download QQQQ from yahoo
## and load DIA from MySQL
getSymbols(c('QQQQ','DIA'))
## End(Not run)

## Use something like this to always retrieve
## from the same source

.First <- function() {
  require(quantmod,quietly=TRUE)
  quantmod::setSymbolLookup(JAVA="MySQL")
}

## OR

saveSymbolLookup()
loadSymbolLookup()
```

---

setTA *Manage TA Argument Lists*

---

**Description**

Used to manage the TA arguments used inside `chartSeries` calls.

**Usage**

```
setTA(type = c("chartSeries", "barChart", "candleChart"))  
  
listTA(dev)
```

**Arguments**

<code>type</code>	the function to apply default TAs to
<code>dev</code>	the device to display TA arguments for

**Details**

`setTA` and `unsetTA` provide a simple way to reuse the same TA arguments for multiple charts. By default all charting functions will be set to use the current chart's defaults.

It is important to note that the *current* device will be used to extract the list of TA arguments to apply. This is done with a call to `listTA` internally, and followed by calls to `setDefault`s of the appropriate functions.

An additional way to set default TA arguments for subsequent charts is via `setDefault`s. See the examples.

**Value**

Called for its side-effect of setting the default TA arguments to `quantmod`'s charting functions.

**Note**

Using `setDefault`s directly will require the vector of default TA calls to be wrapped in a call to `substitute` to prevent unintended evaluations; *OR* a call to `listTA` to get the present TA arguments. This last approach is what `setTA` wraps.

**Author(s)**

Jeffrey A. Ryan

**See Also**

[chartSeries](#), [addTA](#)

**Examples**

```
## Not run:
listTA()
setTA()

# a longer way to accomplish the same
setDefaultts(chartSeries,TA=listTA())
setDefaultts(barCart,TA=listTA())
setDefaultts(candleChart,TA=listTA())

setDefaultts(chartSeries,TA=substitute(c(addVo(),addBBands()))))
## End(Not run)
```

---

specifyModel

*Specify Model Formula For quantmod Process*


---

**Description**

Create a single reusable model specification for subsequent buildModel calls. An object of class `quantmod` is created that can be then be reused with different modelling methods and parameters. No data frame is specified, as data is retrieved from potentially multiple environments, and internal calls to `getSymbols`.

**Usage**

```
specifyModel(formula, na.rm=TRUE)
```

**Arguments**

<code>formula</code>	an object of class <code>formula</code> (or one that can be coerced to that class): a symbolic description of the model to be fitted. The details of model specification are given under <code>Details</code> .
<code>na.rm</code>	remove all incomplete rows.

**Details**

Models are specified through the standard formula mechanism.

As financial models may include a variety of financial and economic indicators, each differing in source, frequency, and/or class, a single mechanism to specify sources is included within a call to `specifyModel`. See `getModelData` for details of how this process works.

Currently, objects of class `quantmod.OHLC`, `zoo`, `ts` and `its` are supported within the model formula.

All symbols are first retrieved from the global environment, without inheritance. If an object is not found in the global environment, it is added to a list of objects to load through the `getSymbols` function. `getSymbols` retrieves each object specified by using information as to its location specified a priori via `setDefaultts` or `setSymbolLookup`.

Internally all data is coerced to `zoo`, `data.frame`, or `numeric` classes.

**Value**

Returns an object of class `quantmod`. Use `modelData` to extract full data set as `zoo` object.

**Note**

It is possible to include any supported series in the formula by simply specifying the object's symbol. See *\*Details\** for a list of currently supported classes.

Use `getSymbols.skeleton` to create additional methods of data sourcing, e.g. from a proprietary data format or currently unimplemented source (Bloomberg, Oracle).

See `getSymbols.MySQL` and `getSymbols.yahoo` for examples of adding additional functionality

**Author(s)**

Jeffrey Ryan

**References**

quantmod.com <http://www.quantmod.com>

**See Also**

[getModelData](#), [getSymbols](#), [buildModel](#), [tradeModel](#), [formula](#) [setSymbolLookup](#)

**Examples**

```
## Not run:
# if QQQQ is not in the Global environment, an attempt will be made
# to retrieve it from the source specified with getSymbols.Default

specifyModel(Next(OpCl(QQQQ)) ~ Lag(OpHi(QQQQ),0:3) + Hi(DIA))
## End(Not run)
```

**Description**

Functions to add technical indicators to a chart.

**Details**

The general mechanism to add technical analysis studies or overlays to a financial chart created with `chartSeries`.

Functionality marked with a '\*' is via the **TTR** package.

General TA charting tool functions:

addTA add data as custom indicator  
 dropTA remove technical indicator  
 moveTA move a technical indicator  
 swapTA swap two technical indicators

Current technical indicators include:

addADX add Welles Wilder's Directional Movement Indicator\*  
 addATR add Average True Range \*  
 addAroon add Aroon Indicator \*  
 addAroonOsc add Aroon Oscillator \*  
 addBBands: add Bollinger Bands \*  
 addCCI add Commodity Channel Index \*  
 addCMF add Chaiken Money Flow \*  
 addChAD add Chaiken Accumulation Distribution Line \*  
 addChVol add Chaiken Volatility \*  
 addCMO add Chande Momentum Oscillator \*  
 addDEMA add Double Exponential Moving Average \*  
 addDPO add Detrended Price Oscillator \*  
 addEMA add Exponential Moving Average \*  
 addEMV add Arm's Ease of Movement \*  
 addEnvelope add Moving Average Envelope  
 addEVWMA add Exponential Volume Weighted Moving Average \*  
 addExpiry add options or futures expiration lines  
 addKST add Know Sure Thing \*  
 addLines add line(s)  
 addMACD: add Moving Average Convergence Divergence \*  
 addMFI add Money Flow Index \*  
 addMomentum add Momentum \*  
 addOBV add On-Balance Volume \*  
 addPoints add point(s)  
 addROC: add Rate of Change \*  
 addRSI add Relative Strength Indicator \*  
 addSAR add Parabolic SAR \*  
 addSMA add Simple Moving Average \*  
 addSMI add Stochastic Momentum Index \*  
 addTDI add Trend Direction Index \*  
 addTRIX add Triple Smoothed Exponential Oscillator \*  
 addVo add Volume if available

addVolatility add volatility \*  
 addWMA add Weighted Moving Average \*  
 addWPR add Williams Percent R \*  
 addZigZag add Zig Zag \*  
 addZLEMA add ZLEMA \*

See the individual functions for specific implementation and argument details. Details of the underlying TTR implementations can be found in **TTR**.

The primary changes between the add\*\*\* version of an indicator and the **TTR** base function is the absence of the data argument in the former.

Notable additions include `on`, `with.col`.

### Value

Called for its side effects, an object to class `chobTA` will be returned invisibly. If called from the R command line the method will draw the appropriate indicator on the current chart.

### Note

Calling any of the above methods from within a function or script will generally require them to be wrapped in a `plot` call as they rely on the context of the call to initiate the actual charting addition.

### Author(s)

Jeffrey A. Ryan

### References

Josh Ulrich - TTR package

---

tradeModel

*Simulate Trading of Fitted quantmod Object*

---

### Description

Simulated trading of fitted quantmod object. Given a fitted model, `tradeModel` calculates the signal generated over a given historical period, then applies specified `trade.rule` to calculate and return a `tradeLog` object. Additional methods can then be called to evaluate the performance of the model's strategy.

**Usage**

```
tradeModel(x,
           signal.threshold = c(0, 0),
           leverage = 1,
           return.model = TRUE,
           plot.model = FALSE,
           trade.dates = NULL,
           exclude.training = TRUE,
           ret.type = c("weeks", "months", "quarters", "years"),
           ...)
```

**Arguments**

<code>x</code>	a quantmod object from <code>buildModel</code>
<code>signal.threshold</code>	a numeric vector describing simple lower and upper thresholds before trade occurs
<code>leverage</code>	amount of leverage to apply - currently a constant
<code>return.model</code>	should the full model be returned?
<code>plot.model</code>	plot the model?
<code>trade.dates</code>	specific trade interval - defaults to full dataset
<code>exclude.training</code>	exclude the period trained on?
<code>ret.type</code>	a table of period returns
<code>...</code>	additional parameters needed by the underlying modelling function, if any

**Details**

Still highly experimental and changing. The purpose is to apply a newly constructed model from `buildModel` to a new dataset to investigate the model's trading potential.

At present all parameters are very basic. The near term changes include allowing for a `trade.rule` argument to allow for a dynamic trade rule given a set of signals. Additionally the application of variable leverage and costs will become part of the final structure.

Any suggestions as to inclusions or alterations are appreciated and should be directed to the maintainer of the package.

**Value**

A `quantmodResults` object

**Author(s)**

Jeffrey A. Ryan

**See Also**

[specifyModel](#) [buildModel](#)

**Examples**

```
## Not run:
m <- specifyModel(Next(OpCl(QQQQ)) ~ Lag(OpHi(QQQQ)))
m.built <- buildModel(m,method='rpart',training.per=c('2007-01-01','2007-04-01'))

tradeModel(m.built)
tradeModel(m.built,leverage=2)
## End(Not run)
```

zoomChart

*Change Zoom Level Of Current Chart***Description**

Using `xts` style date subsetting, zoom into or out of the current chart.

**Usage**

```
zoom(n=1, eps=2)
zoomChart(subset, yrange=NULL)
```

**Arguments**

<code>n</code>	the number of interactive view changes per call
<code>eps</code>	the distance between clicks to be considered a valid subset request
<code>subset</code>	a valid subset string
<code>yrange</code>	override y-scale

**Details**

These function allow for viewing of specific areas of a chart produced by `chartSeries` by simply specifying the dates of interest

`zoom` is an interactive chart version of `zoomChart` which utilizes the standard R device interaction tool `locator` to estimate the subset desired. This estimate is then passed to `zoomChart` for actual redrawing. At present it is quite experimental in its interface and arguments. Its usage entails a call to `zoom()` followed by the selection of the leftmost and rightmost points desired in the newly zoomed chart. This selection is accomplished by the user left-clicking each extreme point. Two click are required to determine the level of zooming. Double clicking will reset the chart to the full data range. The arguments and internal working of this function are likely to change dramatically in future releases, though its use will likely remain.

Standard format for the `subset` argument is the same as the subsetting for `xts` objects, which is how the data is stored internally for rendering.

Calling `zoomChart` with no arguments (`NULL`) resets the chart to the original data.

Examples include `'2007'` for all of the year 2007, `'2007::2008'` for years 2007 through 2008, `'::2007'` for all data from the beginning of the set to the end of 2007, `'2007::'` all data from the beginning of 2007 through the end of the data. For specifics regarding the level of detail and internal interpretation please see `[.xts]`

**Value**

This function is called for its side effect - notably changing the perspective of the current chart, and changing its formal subset level. The underlying data attached to the chart is left unchanged.

**Author(s)**

Jeffrey A. Ryan

**See Also**

[chartSeries](#)

**Examples**

```
## Not run:  
data(sample_matrix)  
chartSeries(sample_matrix)  
zoomChart('2007-04::')  
zoomChart()  
  
zoom() # interactive example  
## End(Not run)
```

# Index

- \*Topic **IO**
  - getQuote, 40
- \*Topic **aplot**
  - newTA, 62
  - saveChart, 74
  - TA, 80
- \*Topic **classes**
  - chob-class, 25
  - chobTA-class, 26
  - quantmod-class, 72
- \*Topic **datagen**
  - buildData, 17
  - Lag, 59
  - Next, 66
- \*Topic **datasets**
  - getModelData, 38
  - getSymbols.oanda, 52
- \*Topic **data**
  - getQuote, 40
  - getSymbols, 42
  - getSymbols.csv, 45
  - getSymbols.FRED, 47
  - getSymbols.google, 49
  - getSymbols.MySQL, 50
  - getSymbols.yahoo, 55
  - modelData, 61
  - quantmod.OHLC, 73
- \*Topic **device**
  - saveChart, 74
- \*Topic **dplot**
  - newTA, 62
  - saveChart, 74
- \*Topic **hplot**
  - newTA, 62
- \*Topic **misc**
  - adjustOHLC, 14
  - attachSymbols, 15
  - create.binding, 27
  - findPeaks, 29
  - Lag, 59
  - Next, 66
- \*Topic **models**
  - buildModel, 18
  - fittedModel, 30
  - specifyModel, 79
  - tradeModel, 82
- \*Topic **package**
  - quantmod-package, 1
- \*Topic **ts**
  - Lag, 59
- \*Topic **utilities**
  - addADX, 2
  - addBBands, 3
  - addExpiry, 4
  - addMA, 5
  - addMACD, 7
  - addROC, 8
  - addRSI, 9
  - addSAR, 10
  - addSMI, 11
  - addVo, 12
  - addWPR, 13
  - chartSeries, 20
  - chartTheme, 23
  - Delt, 28
  - getDividends, 32
  - getFinancials, 33
  - getFX, 35
  - getMetals, 36
  - getOptionChain, 39
  - getSplits, 41
  - getSymbols.SQLite, 54
  - has.OHLC, 57
  - internal-quantmod, 58
  - is.quantmod, 59
  - modelData, 61
  - modelSignal, 62
  - OHLC.Transformations, 67

- options.expiry, 69
  - periodReturn, 70
  - setSymbolLookup, 76
  - setTA, 78
  - zoomChart, 84
- Ad (*OHLC.Transformations*), 67
- addADX, 2
  - addAroon (TA), 80
  - addAroonOsc (TA), 80
  - addATR (TA), 80
  - addBBands, 3
  - addCCI (TA), 80
  - addChAD (TA), 80
  - addChVol (TA), 80
  - addCLV (TA), 80
  - addCMF (TA), 80
  - addCMO (TA), 80
  - addDEMA (addMA), 5
  - addDPO (TA), 80
  - addEMA (addMA), 5
  - addEMV (TA), 80
  - addEnvelope (TA), 80
  - addEVWMA (addMA), 5
  - addExpiry, 4, 70
  - addKST (TA), 80
  - addLines (TA), 80
  - addMA, 5
  - addMACD, 7
  - addMFI (TA), 80
  - addMomentum (TA), 80
  - addOBV (TA), 80
  - addPoints (TA), 80
  - addROC, 8
  - addRSI, 9
  - addSAR, 10
  - addShading (*internal-quantmod*), 58
  - addSMA (addMA), 5
  - addSMI, 11
  - addTA, 3–13, 22, 27, 78
  - addTA (newTA), 62
  - addTDI (TA), 80
  - addTRIX (TA), 80
  - addVo, 12
  - addVolatility (TA), 80
  - addWMA (addMA), 5
  - addWPR, 13
  - addZigZag (TA), 80
  - addZLEMA (addMA), 5
- adjustOHLC, 14
  - allReturns (*periodReturn*), 70
  - annualReturn (*periodReturn*), 70
  - anova.quantmod (*fittedModel*), 30
  - as.quantmod.OHLC (*quantmod.OHLC*), 73
  - attachSymbols, 15
  - barChart (*chartSeries*), 20
  - bitmap, 75
  - buildData, 17
  - buildModel, 18, 31, 38, 80, 83
  - candleChart (*chartSeries*), 20
  - chartSeries, 20, 24, 26, 65, 78, 85
  - chartShading (*internal-quantmod*), 58
  - chartTA (*newTA*), 62
  - chartTheme, 22, 23
  - chob, 27, 65
  - chob-class, 25
  - chobTA, 26, 65
  - chobTA-class, 26
  - Cl (*OHLC.Transformations*), 67
  - ClCl (*OHLC.Transformations*), 67
  - coef.quantmod (*fittedModel*), 30
  - coefficients.quantmod (*fittedModel*), 30
  - create.binding, 27
  - dailyReturn (*periodReturn*), 70
  - Delt, 28
  - dropTA (TA), 80
  - findPeaks, 29
  - findValleys (*findPeaks*), 29
  - fitted.quantmod (*fittedModel*), 30
  - fitted.values.quantmod (*fittedModel*), 30
  - fittedModel, 30
  - fittedModel<- (*fittedModel*), 30
  - fittedModel<- , quantmod-method (*quantmod-class*), 72
  - fittedModel<-methods (*quantmod-class*), 72
  - flushSymbols (*attachSymbols*), 15
  - formula, 80
  - formula.quantmod (*fittedModel*), 30
  - futures.expiry (*options.expiry*), 69

- getDividends, [15](#), [32](#), [42](#)
- getFin (*getFinancials*), [33](#)
- getFinancials, [33](#)
- getFX, [35](#), [45](#)
- getMetals, [36](#), [45](#)
- getModelData, [38](#), [45](#), [61](#), [80](#)
- getOptionChain, [39](#)
- getQuote, [40](#)
- getSplits, [15](#), [41](#)
- getSymbolLookup
  - (*setSymbolLookup*), [76](#)
- getSymbols, [18](#), [22](#), [33](#), [36–38](#), [41](#), [42](#), [42](#), [46](#), [48](#), [50](#), [52](#), [53](#), [55](#), [56](#), [72](#), [74](#), [77](#), [80](#)
- getSymbols.csv, [45](#), [45](#)
- getSymbols.FRED, [45](#), [47](#), [53](#)
- getSymbols.google, [45](#), [49](#)
- getSymbols.MySQL, [50](#)
- getSymbols.mysql
  - (*getSymbols.MySQL*), [50](#)
- getSymbols.oanda, [36](#), [37](#), [45](#), [52](#)
- getSymbols.RData, [45](#)
- getSymbols.SQLite, [54](#)
- getSymbols.yahoo, [15](#), [45](#), [55](#)
  
- has.Ad (*has.OHLC*), [57](#)
- has.Cl (*has.OHLC*), [57](#)
- has.Hi (*has.OHLC*), [57](#)
- has.HLC (*has.OHLC*), [57](#)
- has.Lo (*has.OHLC*), [57](#)
- has.OHLC, [57](#)
- has.Op (*has.OHLC*), [57](#)
- has.Vo (*has.OHLC*), [57](#)
- Hi (*OHLC.Transformations*), [67](#)
- HiCl (*OHLC.Transformations*), [67](#)
- HLC (*OHLC.Transformations*), [67](#)
  
- internal-quantmod, [58](#)
- is.HLC (*has.OHLC*), [57](#)
- is.OHLC (*has.OHLC*), [57](#)
- is.quantmod, [59](#)
- is.quantmodResults (*is.quantmod*), [59](#)
  
- jpeg, [75](#)
  
- Lag, [59](#), [67](#)
- lag, [60](#)
- Lag.quantmod.OHLC (*Lag*), [59](#)
  
- Lag.zoo (*Lag*), [59](#)
- lineChart (*chartSeries*), [20](#)
- listTA (*setTA*), [78](#)
- Lo (*OHLC.Transformations*), [67](#)
- loadSymbolLookup
  - (*setSymbolLookup*), [76](#)
- loadSymbols (*getSymbols*), [42](#)
- LoCl (*OHLC.Transformations*), [67](#)
- logLik.quantmod (*fittedModel*), [30](#)
- LoHi (*OHLC.Transformations*), [67](#)
  
- matchChart (*chartSeries*), [20](#)
- modelData, [18](#), [38](#), [61](#)
- modelSignal, [62](#)
- monthlyReturn (*periodReturn*), [70](#)
- moveTA (*TA*), [80](#)
  
- newTA, [62](#)
- Next, [66](#)
- Next.quantmod.OHLC (*Next*), [66](#)
- Next.zoo (*Next*), [66](#)
  
- oanda.currencies
  - (*getSymbols.oanda*), [52](#)
- OHLC (*OHLC.Transformations*), [67](#)
- OHLC.Transformations, [58](#), [67](#), [74](#)
- Op (*OHLC.Transformations*), [67](#)
- OpCl, [29](#)
- OpCl (*OHLC.Transformations*), [67](#)
- OpHi (*OHLC.Transformations*), [67](#)
- OpLo (*OHLC.Transformations*), [67](#)
- OpOp, [29](#)
- OpOp (*OHLC.Transformations*), [67](#)
- options, [77](#)
- options.expiry, [69](#)
  
- pdf, [75](#)
- peak (*findPeaks*), [29](#)
- periodReturn, [70](#)
- plot.quantmod (*fittedModel*), [30](#)
- png, [75](#)
- postscript, [75](#)
  
- quantmod, [31](#)
- quantmod (*quantmod-package*), [1](#)
- quantmod-class, [72](#)
- quantmod-package, [1](#)
- quantmod.OHLC, [58](#), [73](#)
- quantmodResults-class
  - (*quantmod-class*), [72](#)

- quantmodReturn-class
  - (*quantmod-class*), 72
- quarterlyReturn(*periodReturn*), 70
- read.csv, 46
- reChart(*chartSeries*), 20
- removeSymbols(*getSymbols*), 42
- resid.quantmod(*fittedModel*), 30
- residuals.quantmod(*fittedModel*), 30
- saveChart, 74
- saveSymbolLookup
  - (*setSymbolLookup*), 76
- saveSymbols(*getSymbols*), 42
- seriesAccel
  - (*OHLC.Transformations*), 67
- seriesDecel
  - (*OHLC.Transformations*), 67
- seriesDecr
  - (*OHLC.Transformations*), 67
- seriesHi(*OHLC.Transformations*), 67
- seriesIncr
  - (*OHLC.Transformations*), 67
- seriesLo(*OHLC.Transformations*), 67
- setSymbolLookup, 45, 46, 48, 50, 52, 56, 76, 80
- setTA, 22, 78
- show, chobTA-method
  - (*chobTA-class*), 26
- show, quantmod-method
  - (*quantmod-class*), 72
- show, quantmodResults-method
  - (*quantmod-class*), 72
- show, tradeLog-method
  - (*quantmod-class*), 72
- showSymbols(*getSymbols*), 42
- specifyModel, 18, 19, 38, 42, 45, 59, 61, 67, 69, 79, 83
- standardQuote(*getQuote*), 40
- summary, quantmod-method
  - (*quantmod-class*), 72
- swapTA(*TA*), 80
- TA, 65, 80
- tradeLog-class (*quantmod-class*), 72
- tradeModel, 19, 59, 62, 80, 82
- unsetSymbolLookup
  - (*setSymbolLookup*), 76
- unsetTA(*setTA*), 78
- valley(*findPeaks*), 29
- vcov.quantmod(*fittedModel*), 30
- viewFin(*getFinancials*), 33
- viewFinancials(*getFinancials*), 33
- Vo(*OHLC.Transformations*), 67
- weeklyReturn(*periodReturn*), 70
- yahooQF(*getQuote*), 40
- yahooQuote.EOD(*getQuote*), 40
- yearlyReturn(*periodReturn*), 70
- zoom(*zoomChart*), 84
- zoomChart, 84
- zoom(*zoomChart*), 84